SAFETY DATA SHEET

glenta All purpose cleaner spray bottle with perfume

The safety data sheet is in accordance with Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

SECTION 1: Identification of the substance / mixture and of the company / undertaking

Date issued	03.04.2023
-------------	------------

1.1. Product identifier

Product name	glenta All purpose cleaner spray bottle with perfume
Article no.	2147829

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance / mixture	Cleaning agent.	
Main intended use	PC-CLN-2 All-purpose (or multi-purpose) non-abrasive cleaners	
Relevant identified uses	SU21 Consumer uses: Private households (= general public = consumers) SU22 Professional uses: publicly accessible (administration, education, entertainment, services, craftsmen) PC35 Washing and cleaning products (including solvent based products) PROC10 Roller application or brushing PROC11 Non-industrial spraying ERC8A Wide dispersive indoor use of processing aids in open systems ERC8D Wide dispersive outdoor use of processing aids in open systems	
Uses advised against	No specific uses advised against are identified.	
Professional use	Yes	
Consumer use	Yes	

1.3. Details of the supplier of the safety data sheet

Prepared by

Company name	Procurator AB
Office address	Box 9504
Postcode	200 39
City	Malmö
Country	Sweden
Telephone number	+46(0)106040000

Email	jonas.larsson@procurator.com
Website	www.procurator.com

1.4. Emergency telephone number

Emergency telephone	In urgent situations: Call 112 and request the poison information centre. (24h)	
	In less severe situations: Call 010-456 6700 (24h service)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP classification, comments	Classification according to 1272/2008/EC ("CLP"): Not classified as dangerous The full text for all hazard statements is displayed in section 16.
Substance / mixture hazardous	Not regarded as a health or environmental hazard under current legislation.
properties	

2.2. Label elements

Supplemental label information	EUH 210 Safety data sheet available on request.
Tactile warnings	No
Child-protection	No
Other EU labelling requirements	Content according to Regulation (EC) No 648/2004: < 5 % non-ionic surfactants , perfumes

2.3. Other hazards

Hazard description, general	No particular fire or explosion hazard.
Health effect	No recommendation given.
Environmental effects	Classification: The product presents no particular risk to the environment. This product does not contain any PBT or vPvB substances.
Other hazards	No evidence for endocrine disrupting properties

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Composition type	Mixture			
Substance	Identification	Classification	Contents	Notes
Ethanol	CAS No.: 64-17-5 EC No.: 200-578-6 Index No.: 603-002-00-5	Eye Irrit. 2; H319; SCL Eye Irrit. 2; H319: C ≥ 50% Flam. Liq. 2; H225	1-2%	
D-Glucopyranose, oligomers, decyl octyl glycosides	CAS No.: 68515-73-1 EC No.: 500-220-1 REACH Reg. No.: 01-2119488530-36	Eye Dam. 1; H318	< 0,7 %	
Isopropanol	CAS No.: 67-63-0 EC No.: 200-661-7 Index No.: 603-117-00-0	Eye Irrit. 2; H319 Flam. Liq. 2; H225 STOT SE 3; H336	0,1 - 0,5 %	
Alcohol ethoxylate, C10	CAS No.: 160875-66-1	Eye Dam. 1; H318	< 0,3 %	

(5EO) REACH Reg. No.:

-(polymer)

Perfume CAS No.: -(complex Skin Sens. 1; H317 < 0,1 %

mixture) EC No.: -

Substance comments The full text for all hazard statements is displayed in section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Fresh air and rest.

Skin contact Wash skin with soap and water. Get medical attention if any discomfort

continues.

Eye contact Immediately rinse with water for several minutes. Make sure to remove any

contact lenses from the eyes before rinsing. Contact physician if irritation

persists.

Ingestion Drink a few glasses of water or milk. DO NOT INDUCE VOMITING! Contact

physician if larger quantity has been consumed.

Recommended personal

protective equipment for first aid

responders

No recommendation given.

4.2. Most important symptoms and effects, both acute and delayed

	General symptoms and effects	Treat symptomatically.
Acute symptoms and effects	The main known symptoms and effects are listed on the label (see section 2) and / or in section 11.	
	Delayed symptoms and effects	Same as with acute symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Separate first aid equipment No recommendation given.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Extinguish with foam, carbon dioxide, dry powder or water fog.
Improper extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards This product is not flammable.

5.3. Advice for firefighters

Fire fighting procedures	No specific fire fighting procedure given.
Other information	No recommendation given.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal protection measures Wear necessary protective equipment.

For emergency responders No recommendation given.

6.2. Environmental precautions

Environmental precautionary measures

Avoid discharge into drains, water courses or onto the ground. Contact local authorities in case of spillage to drain/aquatic environment.

6.3. Methods and material for containment and cleaning up

Clean up Small quantities can be dissolved/diluted in water and flushed to drain. Large

Spillages: Absorb spillage with suitable absorbent material. Flush contaminated

area with plenty of water. For waste disposal, see section 13.

6.4. Reference to other sections

Other instructions Individual protection measures, such as personal protective equipment: see

section 8.

Waste treatment methods: see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling	Avoid contact with eyes and prolonged skin contact.
----------	---

Protective safety measures

Safety measures to prevent fire No recommendation given.

Preventitive measures to prevent aerosol and dust generation

Not relevant.

Preventititve measures to protect

No recommendation given. the environment

7.2. Conditions for safe storage, including any incompatibilities

Storage Store in tightly closed original container in a well-ventilated place. Protect from freezing and direct sunlight.

7.3. Specific end use(s)

Specific use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Substance Identification **Exposure limits** TWA Year Ethanol CAS No.: 64-17-5 Limit value (8 h): 500 ppm TWA Year: 1993

Limit value (8 h): 1000 mg/

m3 Limit value (short term) Value: 1000 ppm Limit value (short term) Value: 1900 mg/m3 CAS No.: 67-63-0 Isopropanol Limit value (8 h): 150 ppm TWA Year: 1989 Limit value (8 h): 350 mg/ m3 Limit value (short term) Value: 250 ppm Limit value (short term) Value: 600 mg/m3 Control parameters comments EH40/2005, Workplace exposure limits 2005, with amendments.

DNEL / PNEC

Substance	Ethanol
DNEL	Group: Consumer Route of exposure: Lång sikt (upprepad) - Oral - Systemisk effekt Value: 87 mg/kg bw/day Reference: ECHA
	Group: Consumer Route of exposure: Kortsiktig (akut) - Inandning - Lokal effekt Value: 950 mg/m3 Reference: ECHA
	Group: Consumer Route of exposure: Lång sikt (upprepad) - Dermal - Systemisk effekt Value: 206 mg/kg bw/d Reference: ECHA
	Group: Professional Route of exposure: Lång sikt (upprepad) - Inandning - Systemisk effekt Value: 950 mg/m3 Reference: ECHA
	Group: Professional Route of exposure: Kortsiktig (akut) - Inandning - Lokal effekt Value: 1900 mg/m3 Reference: ECHA
	Group: Professional Route of exposure: Lång sikt (upprepad) - Dermal - Systemisk effekt Value: 343 mg/kg bw/day Reference: ECHA
	Group: Consumer Route of exposure: Lång sikt (upprepad) - Inandning - Systemisk effekt Value: 114 mg/m3 Reference: ECHA
PNEC	Route of exposure: Sewage treatment plant STP Value: 580 mg/L Reference: ECHA

Route of exposure: Freshwater sediments

Value: 3,6 mg/kg sediment dw

Reference: ECHA

Route of exposure: Saltwater sediments

Value: 2,9 mg/kg sediment dw

Reference: ECHA

Route of exposure: Water

Value: 2,75 ml/L Reference: ECHA

Route of exposure: Freshwater

Value: 0,96 mg/L Reference: ECHA

Route of exposure: Soil Value: 0,63 mg/kg Reference: ECHA

Route of exposure: Saltwater

Value: 0,79 mg/L Reference: ECHA

Route of exposure: Water

Value: 2,75 ml/L Reference: ECHA

Substance D-Glucopyranose, oligomers, decyl octyl glycosides

DNEL Group: Industrial

Route of exposure: Long-term dermal (systemic)

Value: 595000 mg/kg

Group: Industrial

Route of exposure: Long-term inhalation (systemic)

Value: 420 mg/m³ Group: Consumer

Route of exposure: Long-term dermal (systemic)

Value: 357000 mg/kg

Group: Consumer

Route of exposure: Long-term oral (systemic)

Value: 35,7 mg/kg

Group: Consumer

Route of exposure: Long-term inhalation (systemic)

Value: 124 mg/m³

PNEC Route of exposure: Freshwater

Value: 0,176 mg/l

Route of exposure: Saltwater

Value: 0,0176 mg/l

Route of exposure: Sewage treatment plant STP

Value: 560 mg/l

Route of exposure: Freshwater sediments

Value: 1, 516 mg/kg

Route of exposure: Saltwater sediments

Value: 0,152 mg/kg

Route of exposure: Soil **Value:** 0,654 mg/kg

Substance

Isopropanol

DNEL

Group: Consumer

Route of exposure: Lång sikt (upprepad) - Oral - Systemisk effekt

Value: 26 mg/kg bw/day Reference: ECHA

Group: Consumer

Route of exposure: Lång sikt (upprepad) - Inandning - Systemisk effekt

Value: 319 mg/kg bw/day

Reference: ECHA

Group: Professional

Route of exposure: Lång sikt (upprepad) - Inandning - Systemisk effekt

Value: 500 mg/m3 Reference: ECHA

Group: Professional

Route of exposure: Lång sikt (upprepad) - Dermal

Value: 888 mg/kg Reference: ECHA

Group: Consumer

Route of exposure: Lång sikt (upprepad) - Inandning - Systemisk effekt

Value: 89 mg/m3 Reference: ECHA

PNEC

Route of exposure: Water Value: 140,9 mg/L Reference: ECHA

Route of exposure: Water Value: 140,9 mg/L Reference: ECHA

Route of exposure: Water Value: 140,9 mg/L Reference: ECHA

Route of exposure: Sewage treatment plant STP

Value: 2251 mg/L Reference: ECHA

Route of exposure: Sediment

Value: 552 mg/kg Reference: ECHA

Route of exposure: Soil

Value: 28 mg/kg Reference: ECHA

Route of exposure: Sediment

Value: 552 mg/kg Reference: ECHA

Summary of risk management

measures, human

No recommendation given.

Summary of risk management measures, environment

No recommendation given.

8.2. Exposure controls

Eye / face protection

Eye protection, comments

No recommendation given.

Hand protection

Hand protection, comments

Gloves are recommended for prolonged use. Use protective gloves made of: Neoprene, nitrile, polyethylene or PVC.

Skin protection

Skin protection remark

No special precautions.

Respiratory protection

Respiratory protection, comments

Under normal conditions of use respiration protection should not be required.

Thermal hazards

Thermal hazards

Not relevant.

Hygiene / environmental

Personal protection equipment, comments

No recommendation given.

Appropriate environmental exposure control

Environmental exposure controls

No recommendation given.

Appropriate environmental exposure control

Exposure controls, comments

None.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid.
Colour Green.

Odour Perfume. Odour limit Comments: Not determined. рΗ Status: In delivery state Value: ~ 10,5 Melting point / melting range Comments: Not determined. Boiling point / boiling range Value: ~ 100 °C Flash point Comments: Not determined. Evaporation rate Comments: Not determined. Flammability Not relevant. **Explosion limit** Comments: Not explosive. Vapour pressure Comments: Not determined. Vapour density Comments: Not determined. Density Value: ~ 1,0 kg/dm3 Solubility Medium: Water Comments: Soluble in water. Partition coefficient: n-octanol/ Comments: Not relevant. water Auto-ignition temperature Comments: Not determined. Decomposition temperature Comments: Not determined. Viscosity Comments: Not determined. Explosive properties Not explosive Oxidising properties Does not meet the criteria for oxidising.

9.2. Other information

Other physical and chemical properties

Physical and chemical properties No information.

9.2.2. Other safety characteristics

Comments Information given concerns the concentrated solution.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No recommendation given.

10.4. Conditions to avoid

Conditions to avoid No recommendation given.

10.5. Incompatible materials

Materials to avoid No recommendation given.

10.6. Hazardous decomposition products

Hazardous decomposition

No hazardous decomposition products.

products

Other information

Other information No recommendation given.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Comments: Toxicological examination data are only available for constituent

substances, not for the preparation.

Substance Ethanol

Acute toxicity **Effect tested**: LD50

Route of exposure: Oral Value: 10470 mg/kg Animal test species: Rat Comments: ECHA

Effect tested: LD50

Route of exposure: Dermal Value: 17100 mg/kg Animal test species: Rabbit

Comments: ECHA

Effect tested: LC50

Route of exposure: Inhalation.

Duration: 4 h.

Value: 124,7 (luft) mg/l Animal test species: Rat Comments: ECHA

Substance D-Glucopyranose, oligomers, decyl octyl glycosides

Acute toxicity Effect tested: LD50

Route of exposure: Oral Value: > 5000 mg/kg Animal test species: Rat

Test reference: OECD Guideline 401

Effect tested: LD50 Route of exposure: Dermal

Value: > 2000 mg/kg Animal test species: Rabbit Test reference: OECD Guideline 02 Substance Isopropanol Acute toxicity Effect tested: LD50 Route of exposure: Oral Value: 5840 mg/kg Animal test species: Rat **Comments: ECHA** Effect tested: LD50 Route of exposure: Dermal **Value:** > 2000 mg/kg Animal test species: Rat Test reference: Supplier Effect tested: LC50 Route of exposure: Inhalation. Duration: 4 h Value: 66,1 mg/l Animal test species: Rat Test reference: Supplier Substance Alcohol ethoxylate, C10 (5EO) Acute toxicity Effect tested: LD50 Route of exposure: Oral **Value:** > 2000 -5000 mg/kg Animal test species: Rat Comments: OECD 423 Effect tested: LD50 Route of exposure: Dermal **Value:** > 5000 mg/kg Animal test species: Rat Comments: OECD 402

Other information regarding health hazards

Assessment of acute toxicity, classification	No recommendation given.
Skin corrosion / irritation, other information	No recommendation given.
Assessment of skin corrosion / irritation, classification	Not Irritating.
Substance	Perfume
Eye damage or irritation, test results	Comments: Data lacking.
Eye damage or irritation other information	No recommendation given.
Respiratory or skin sensitisation	Comments: No known chronic or acute health risks.
Substance	Perfume

Respiratory or skin sensitisation	Comments: Data lacking.
Inhalation	No recommendation given.
Skin contact	Prolonged or repeated exposure may cause rough skin.
Eye contact	No recommendation given.
Ingestion	May cause a burning sensation in the mouth and throat and, if a large amount is swallowed, nausea and possibly vomiting.
Sensitisation	No known chronic or acute health risks.
Mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Comments: No specific health warnings noted.
Carcinogenicity, other information	No known chronic or acute health risks.
Reproductive toxicity	No known chronic or acute health risks.
Specific target organ toxicity - single exposure, other information	No known chronic or acute health risks.
Specific target organ toxicity - repeated exposure, other information	No known chronic or acute health risks.
Aspiration hazard, comments	Not known.

Symptoms of exposure

In case of ingestion	May irritate and cause malaise.
In case of skin contact	Prolonged or repeated contact leads to drying of skin.
In case of inhalation	Vapours have a narcotic effect and may cause headache, fatigue, dizziness and nausea.
In case of eye contact	May irritate and cause redness and pain.

11.2 Other information

Endocrine disruption	This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.
Other information	None.

SECTION 12: Ecological information

12.1. Toxicity

Substance	Ethanol
Aquatic toxicity, fish	Value: 15300 mg/l Test duration: 96 h. Species: Pimephales promelas Method: LC50 Test reference: US-EPA
	Value: 11200 mg/l Effect dose concentration: LC50

Test duration: 24 hour(s) **Species:** Salmo gairdneri **Test reference:** US-EPA

Value: 13000 mg/l

Effect dose concentration: LC50 Test duration: 96 hour(s) Species: Oncorhynchus mykiss Test reference: OECD 203

Substance D-Glucopyranose, oligomers, decyl octyl glycosides

Aquatic toxicity, fish **Toxicity type:** Chronic **Value:** > 1 -10 mg/l

Effect dose concentration: NOEC Species: Brachydanio rerio
Test reference: OECD 204

Value: > 100 mg/l Test duration: 96 h. Species: Brachydanio rerio

Method: LC50

Test reference: DIN EN ISO 7346-2

Substance Isopropanol

Aquatic toxicity, fish **Value:** 8970 - 9280 mg/l

Test duration: 48 h

Species: Leuciscus idus melanotus

Method: LC50 Test reference: ECHA

Substance Alcohol ethoxylate, C10 (5EO)

Aquatic toxicity, fish **Toxicity type:** Chronic

Value: > 1 mg/l

Effect dose concentration: NOEC

Substance Perfume

Aquatic toxicity, fish Comments: Data lacking.

Substance Ethanol

Aquatic toxicity, algae Value: 275 mg/l

Test duration: 96 h. **Species:** Chlorella vulgaris

Method: EC50

Test reference: OECD TG 201

Value: 11,5 mg/l

Effect dose concentration: EC10 Test duration: 72 hour(s) Species: Chlorella vulgaris Test reference: OECD TG 201

Substance D-Glucopyranose, oligomers, decyl octyl glycosides

Aquatic toxicity, algae Value: > 10 - 100 mg/l Test duration: 72 h.

giorita i in parpode dicarior opia, botti	a war perfume version i
	Species: Scenedesmus subspicatus Method: EC50
Substance	Isopropanol
Aquatic toxicity, algae	Value: 1800 mg/l Test duration: 8 dagar Species: Scenedesmus quadricauda Method: TGK Test reference: ECHA
Substance	Alcohol ethoxylate, C10 (5EO)
Aquatic toxicity, algae	Value: > 10 - 100 mg/l Test duration: 72 h. Species: Scenedesmus subspicatus Method: EC50
Substance	Perfume
Aquatic toxicity, algae	Comments: Data lacking.
Substance	Ethanol
Aquatic toxicity, crustacean	Value: 12340 mg/l Test duration: 48 h. Species: D. magna. Method: EC50 Test reference: ASTM E 729-80
	Value: 858 mg/l Effect dose concentration: EC50 Test duration: 24 hour(s) Species: Artemia salina Test reference: OECD TG 202
	Value: 5012 mg/l Effect dose concentration: LC50 Species: Ceriodaphnia dubia Test reference: ASTM E 729-80
Substance	D-Glucopyranose, oligomers, decyl octyl glycosides
Aquatic toxicity, crustacean	Value: > 100 mg/l Test duration: 48 h. Species: Daphnia magna Method: EC50 Test reference: OECD Guideline 202, part 1
Substance	Isopropanol
Aquatic toxicity, crustacean	Value: 9714 mg/l Test duration: 24 h Species: D. magna Method: EC50 Test reference: ECHA
Substance	Alcohol ethoxylate, C10 (5EO)
Aquatic toxicity, crustacean	Value: > 1 - 10 mg/l Test duration: 48 h.

Species: Daphnia magna
Method: EC50
Test reference: (OECD Guideline 202, part 1, static)

Substance Perfume

Aquatic toxicity, crustacean Comments: Data lacking.

Ecotoxicity Ecotoxicological information is not available for the product, only for the components Not classified as dangerous to the environment.

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this preparation complies(comply) with the description/evaluation biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Substance Ethanol Biodegradability **Value: 97 %** Test reference: OECD TG 301 B Test period: 28 dagar Parameter: CO2 formation (% of the theoretical value) Substance Isopropanol Biodegradability Value: 95 Method: OECD 301E Test period: 21 day(s) Substance Alcohol ethoxylate, C10 (5EO) Biodegradability **Value:** > 60 % Method: OECD 301B; ISO 9439; 92/69/EEG, C.4-C Test period: 28 d **Value:** ≥ 90 % Test reference: OECD 303A Comments: Bismuth-active substance Substance Perfume Biodegradability Comments: Data lacking.

12.3. Bioaccumulative potential

Bioaccumulation, comments Bioaccumulation: Is not expected to be bioaccumulable.

12.4. Mobility in soil

Mobility Data lacking.

12.5. Results of PBT and vPvB assessment

Substance	Perfume
PBT assessment results	Data lacking.
Results of PBT and vPvB assessment	This product does not contain any PBT or vPvB substances.
Substance	Perfume

vPvB evaluation results

Data lacking.

12.6. Endocrine disrupting properties

Endocrine disrupting properties

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate methods of disposal for the chemical

Recover and reclaim or recycle, if practical. Small amounts may be flushed with water to sewer. Larger volumes must be sent to approved plant for destruction.

Appropriate methods of disposal for the contaminated packaging

Emptied and cleaned packaging can be recycled or burned in proper incinerator.

EWC waste code

EWC waste code: 200130 detergents other than those mentioned in 20 01 29

Classified as hazardous waste: No

EWL packing

Classified as hazardous waste: No

National regulations

The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

Other information

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

SECTION 14: Transport information

Dangerous goods

No

14.1. UN number

Comments

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.2. UN proper shipping name

Comments

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.3. Transport hazard class(es)

Comments

Not relevant.

14.4. Packing group

Comments

Not relevant.

14.5. Environmental hazards

ADR/RID/ADN

Not relevant.

14.6. Special precautions for user

Special safety precautions for user No recommendation given.

14.7. Maritime transport in bulk according to IMO instruments

ADR/RID Other information

Limited quantity Not relevant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

EEC-directive	Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
Biocides	No
Nanomaterial	No
Legislation and regulations	Regulation (EC) No 648/2004 and Regulation (EC) No 907/2006 of the European Parliament and of the Council on detergents Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895). EH40/2005, Workplace exposure limits 2005, with amendments. DIRECTIVE 2008/68/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 24 September 2008 on the inland transport of dangerous goods, with changes.
Product registration number:	709363-6

15.2. Chemical safety assessment

Chemical safety assessment	No
performed	
CSR required	No
Exposure scenarios for mixture	Nej

SECTION 16: Other information

Supplier's notes	The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.
List of relevant H-phrases (Section 2 and 3)	H225 Highly flammable liquid and vapour. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
Key literature references and sources for data	Safety data sheet format (Regulation (EU) 2020/878)
Abbreviations and acronyms used	PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
Revision responsible	Admin
Version	1