

Catalog 2016

VikanSpecialist



Vikan has the solution to all your cleaning and hygiene problems. Through our many years' experience we have accumulated comprehensive product and development skills which make us your obvious supplier of cleaning implements and equipment.

Wide and extensive assortment

As Vikan's assortment is both wide and extensive, we can offer customised solutions which exactly suit your needs and comply with statutory requirements in terms of hygiene, health, ergonomics, environment, documentation etc.

Focus on research and development

Vikan is an innovative company focusing on research and development. Our products are not only known for their efficiency and sustainability, but are also recognised as being at the cutting-edge of technology and development.

We create value for our customers

Vikan constantly endeavours to integrate the latest knowledge in our solutions, thereby creating value for you the customer.

Vikan has unique solutions for every purpose within:

The food & beverage sector

Kitchens and restaurants

The healthcare sector

Education & municipalities

Retail & supermarkets

The transport sector



Brushes

- 300 mm
- 400 mm
- 470 mm
- 600 mm



Visible filament length, mm	95
Filament Description	Stiff
Material	PVC, Wood, Copper-plated steel
Box Quantity, Pcs.	1

Boot cleaner, 460 mm, Stiff, Grey

Item Number: 0810

Solid boot cleaner made from galvanised steel. The brushes are made from wood and PVC. Effective at cleaning boots and shoes. If the brushes need replacement, then order 2 x 2513H.



Length, mm	250
Filament Description	Medium
Material	Wood, Hair mix, Polypropylene
Box Quantity, Pcs.	5

Deck Scrub, 250 mm, Medium,

Item Number: 116000

This scrub has extra long filaments at the ends which facilitates scrubbing next close to the wall.



Visible filament length, mm	170
Filament Description	Stiff
Material	Polypropylene, Polyester, Stainless Steel
Box Quantity, Pcs.	10
Max cleaning temperature (Autoclave), °Celsius	121

Broom, Angle Cut, 290 mm, Stiff,

Item Number: 2914

The angled design of this broom makes it easy to reach into narrow spaces between equipment when sweeping debris before the scrubbing action starts. It is particularly used for collecting large particles of dirt like meat and vegetables in a moist environment.



Visible filament length, mm	109
Filament Description	Stiff
Material	Polypropylene, Polyester, Stainless Steel
Box Quantity, Pcs.	8
Max cleaning temperature (Autoclave), °Celsius	121

Broom, 330 mm, Stiff,

Item Number: 2915

This heavy duty broom is ideal for sweeping heavy/large particles. This brush is suitable for use in wet and external areas and can be used with any handle within the Vikan colour coded range.



Visible filament length, mm	109
Filament Description	Stiff
Material	Polypropylene, Polyester, Stainless Steel
Box Quantity, Pcs.	4
Max cleaning temperature (Autoclave), °Celsius	121

Broom, 530 mm, Stiff,

Item Number: 2920

This heavy duty broom is ideal for sweeping heavy/large particles. This brush is suitable for use in wet and external areas and can be used with any handle within the Vikan colour coded range.



	Visible filament length, mm	46
	Filament Description	Medium
	Material	Polypropylene,PEEK,Stainless Steel
	Box Quantity, Pcs.	25
	Max cleaning temperature (Autoclave), °Celsius	121

Toaster Brush, 2 pcs., 395 mm, Medium, Red

Item Number: 30024

Suitable for removal of crumbs from toasters.

	Visible filament length, mm	23
	Filament Description	Medium
	Material	Polypropylene,Polyester,Stainless Steel
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	121

Utility Brush, 290 mm, Medium,

Item Number: 3089

Utility brush with medium bristles, suitable for every task from dishwashing to cleaning of heavily soiled pots and pans.



	Visible filament length, mm	23
	Filament Description	Medium
	Material	Polypropylene,Polyester,Stainless Steel
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	121

Utility Brush, 265 mm, Medium,

Item Number: 3087

Utility brush with medium bristles, suitable for detailed cleaning of machinery and equipment.

	Visible filament length, mm	75
	Filament Description	Soft/stiff
	Material	Polypropylene,Polyester,Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Lobby Broom, 260 mm, Soft/stiff,

Item Number: 3104

This broom is designed to make the cleaning of narrow spaces between production lines easier. It is excellent for use with a lobby pan. As this is a soft bristled broom it is ideal for sweeping in dry areas. Can be used with any handle within the Vikan colour coded range.



	Visible filament length, mm	22
	Filament Description	Medium
	Material	Polyester,Polypropylene,Stainless Steel
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	121

Utility Brush, 260 mm, Medium,

Item Number: 3088

This small, light-weight brush has a broad head and an ergonomically angled handle. This design raises the user's hand from the cleaning surface reducing the risk of injury. Suitable for cleaning small surface areas, tables, pots, cutting boards etc.

	Visible filament length, mm	65
	Filament Description	Stiff
	Material	Wood,PVC
	Box Quantity, Pcs.	1

Garage Broom, 440 mm, Stiff, Black

Item Number: 311552

Wooden work shop broom with threaded socket. This broom has PVC filaments which are particularly suitable for sweeping up wet and greasy waste. Can be used with any handle within the Vikan Transport System.



	Visible filament length, mm	65
	Filament Description	Stiff
	Material	Wood,PVC
	Box Quantity, Pcs.	1

Garage Broom, 665 mm, Stiff, Black

Item Number: 311752

Wooden work shop broom with threaded socket. This broom has PVC filaments which are particularly suitable for sweeping up wet and greasy waste. Can be used with any handle within the Vikan Transport System.

	Visible filament length, mm	54
	Filament Description	Medium
	Material	Polyester,Glass reinforced,Polypropylene
	Box Quantity, Pcs.	10

UST Broom, 400 mm, Medium,

Item Number: 3173

ULTRA SAFE TECHNOLOGY medium floor broom with Ultra Filament Security, effective for sweeping in dry or wet high risk areas. The angled arrangement of the Filament Security Units ensures efficient and effective cleaning.

	Visible filament length, mm	78
	Filament Description	Medium
	Material	Polypropylene,Polyester,Stainless Steel
	Box Quantity, Pcs.	15
	Max cleaning temperature (Autoclave), °Celsius	121

Broom w/ Straight Neck, 310 mm, Medium,

Item Number: 3166

The straight neck and medium strength bristle is designed to gather particles like paper, vegetables, fish or small particles of meat from in between machines, equipment and from underneath tables. This is done before the scrubbing action.

	Visible filament length, mm	60
	Filament Description	Soft/stiff
	Material	Polypropylene,Polyester,Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Broom, 410 mm, Soft/stiff,

Item Number: 3174

This sweeping broom has two types of bristles. When pushing the broom forward the front rows, which have firm bristles, loosen the dirt and push heavier debris. The softer bristles of the back rows, gather the finer particles. It is suitable for all areas in kitchens and restaurants.



	Visible filament length, mm	54
	Filament Description	Soft
	Material	Polyester,Glass reinforced,Polypropylene
	Box Quantity, Pcs.	10

UST Broom, 400 mm, Soft,

Item Number: 3171

ULTRA SAFE TECHNOLOGY soft floor broom with Ultra Filament Security, effective for sweeping dry particles in high risk areas. The angled arrangement of the Filament Security Units ensures efficient and effective cleaning.



	Visible filament length, mm	60
	Filament Description	Soft/split
	Material	Polypropylene,Stainless Steel
	Box Quantity, Pcs.	10
	Max. cleaning temperature (Dishwasher), °Celsius	85

Broom, 410 mm, Soft/split,

Item Number: 3178

This broom is ideal for sweeping flour and starch as well as other dry powders. This soft floor broom must only be used in dry areas. Split filaments do not fulfill the demands of the Hygiene Charter. Use with any handle within the Vikan colour coded range.



	Visible filament length, mm	55
	Filament Description	Soft
	Material	Polypropylene, Polyester, Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Broom, 410 mm, Soft,

Item Number: 3179

This broom is ideal for sweeping flour and starch as well as other dry powders. This soft floor broom is most suited to sweeping in dry areas. Use with any handle within the Vikan colour coded range.



	Visible filament length, mm	60
	Filament Description	Soft/stiff
	Material	Polypropylene, Polyester, Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Broom, 610 mm, Soft/stiff,

Item Number: 3194

This sweeping broom has two types of bristles. When pushing the broom forward the front rows, which have firm bristles, loosen the dirt and push heavier debris. The softer bristles of the back rows, gather the finer particles. It is suitable for both wet and dry sweeping.



	Visible filament length, mm	58
	Filament Description	Soft
	Material	Polypropylene, Polyester, Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Broom, 610 mm, Soft,

Item Number: 3199

This floor broom is suitable for sweeping fine particles in large dry and damp areas. Use with any handle within the Vikan colour coded range.



	Visible filament length, mm	26
	Filament Description	Medium
	Material	Polypropylene, Polyester, Stainless Steel
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	121

Hand Brush M, 165 mm, Medium,

Item Number: 3587

Small hand scrubbing brush with medium bristles is an effective general purpose hand scrub, suitable for cleaning food preparation surfaces, chopping boards and food containers.



	Visible filament length, mm	44
	Filament Description	Stiff
	Material	Polypropylene, Polyester, Stainless Steel
	Box Quantity, Pcs.	15
	Max cleaning temperature (Autoclave), °Celsius	121

Round Hand Scrub, Ø110 mm, Stiff,

Item Number: 3885

Round Hand Scrub with stiff bristles, ideal for cleaning conveyor belts and food containers. The design of this brush allows the user to put a more even pressure on the brush during use, making the cleaning process more effective and efficient.



	Visible filament length, mm	36
	Filament Description	Stiff
	Material	Polypropylene, Polyester, Stainless Steel
	Box Quantity, Pcs.	15
	Max cleaning temperature (Autoclave), °Celsius	121

Hand Brush L, 200 mm, Stiff,

Item Number: 3890

Multi-purpose brush with stiff angled bristles to facilitate scrubbing tables, conveyor belts, chopping boards, buckets, large scaled bowls and equipment where it is necessary to reach into corners.





Visible filament length, mm	33
Filament Description	Extra Stiff
Material	Polypropylene, Polyester, Stainless Steel
Box Quantity, Pcs.	10
Max cleaning temperature (Autoclave), °Celsius	121

Hand Brush XL, 250 mm, Extra Stiff,

Item Number: 3892

Multi-purpose brush with stiff angled bristles to facilitate scrubbing tables, conveyor belts, chopping boards, buckets, large scaled bowls and equipment where it is necessary to reach into corners.



Visible filament length, mm	50
Filament Description	Soft/split
Material	Polypropylene, Polyester, Stainless Steel
Box Quantity, Pcs.	6
Max cleaning temperature (Autoclave), °Celsius	121

Ergonomic Hand Brush, 330 mm, Soft/split,

Item Number: 4167

Ergonomic hand brush with split fibres. Suitable for cleaning tables and equipment. The split fibres "hold" water in the brush for a longer time and this ensures a good washing effect.



Visible filament length, mm	35
Filament Description	Stiff
Material	Polypropylene, Polyester, Stainless Steel
Box Quantity, Pcs.	6
Max cleaning temperature (Autoclave), °Celsius	121

Ergonomic Hand Brush, 330 mm, Stiff,

Item Number: 4169

Suitable for scrubbing tables and equipment. The angled bristles enables you to clean into corners easily.



Visible filament length, mm	37
Filament Description	Stiff
Material	Polyester, Glass reinforced, Polypropylene
Box Quantity, Pcs.	10

UST Hand Brush w/short handle, 260 mm, Stiff,

Item Number: 4179

ULTRA SAFE TECHNOLOGY short handled hand brush with angled Filament Security Units. Ultra Filament Security when cleaning conveyor belts, production lines, machinery and food preparation surfaces in high risk areas. The angled and circular arrangement of the Filament Security Units ensures efficient cleaning.



Visible filament length, mm	60
Filament Description	Soft
Material	Polypropylene, Polyester, Stainless Steel
Box Quantity, Pcs.	10
Max cleaning temperature (Autoclave), °Celsius	121

Glazing Brush with long handle, 415 mm, Soft,

Item Number: 4181

Excellent for spreading water etc. on bread and other pastry.



Visible filament length, mm	36
Filament Description	Medium
Material	Polypropylene, Polyester, Stainless Steel
Box Quantity, Pcs.	10
Max cleaning temperature (Autoclave), °Celsius	121

Washing Brush with long handle, 415 mm, Medium,

Item Number: 4182

The long handle on this brush allows the operator to reach into parts of equipment that are hard to access. The angled medium bristles are soft enough to create a washing action, e.g. cleaning machines, deep buckets, containers and tubs.



	Visible filament length, mm	40
	Filament Description	Medium
	Material	Polypropylene, Polyester, Stainless Steel
	Box Quantity, Pcs.	12
	Max cleaning temperature (Autoclave), °Celsius	121

Brush with Hand Guard, 500 mm, Medium, White

Item Number: 4184

Suitable for cleaning sharp edged cutters, the hand guard protects the user's hand from blades and other sharp machine parts during the cleaning process.

	Visible filament length, mm	36
	Filament Description	Stiff
	Material	Polypropylene, Polyester, Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Washing Brush with short Handle, 270 mm, Stiff,

Item Number: 4192

Ergonomically designed short handled churn brush with stiff bristles. A versatile brush suitable for every-day cleaning, ideal for stubborn dirt on conveyor belts, production lines, machinery and food preparation surfaces.



	Visible filament length, mm	36
	Filament Description	Stiff
	Material	Polypropylene, Polyester, Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Washing Brush with long handle, 415 mm, Stiff,

Item Number: 4186

The long handle on this brush allows the operator to reach into parts of equipment that are hard to access. The angled stiff bristles are soft enough to create a washing action, e.g. cleaning machines, deep buckets, containers and tubs.



	Visible filament length, mm	45
	Filament Description	Soft/split
	Material	Polypropylene, Polyester, Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Washing Brush with short handle, 270 mm, Soft/split,

Item Number: 4194

Ergonomically designed short handled churn brush with split bristles. The bristles of this brush enable it to be used for washing very sensitive areas, e.g. washing glass and perspex. The bristles are designed to retain water and chemicals when it is dipped into a bucket of chemical solution and washing.



	Visible filament length, mm	36
	Filament Description	Medium
	Material	Polypropylene, Polyester, Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Washing Brush with short Handle, 270 mm, Medium,

Item Number: 4190

Ergonomically designed short handled churn brush with medium bristles. A versatile brush suitable for every-day cleaning, ideal for stubborn dirt on conveyor belts, production lines, machinery and food preparation surfaces.



	Visible filament length, mm	33
	Filament Description	Extra Stiff
	Material	Polypropylene, Polyester, Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Narrow Hand Brush with short handle, 300 mm, Extra Stiff,

Item Number: 4195

Narrow hand brush with stiff bristles, ideal for cleaning narrow spaces between food equipment and also cleaning squeegee blades.



	Visible filament length, mm	37
	Filament Description	Stiff
	Material	Polyester,Glass reinforced,Polypropylene
	Box Quantity, Pcs.	10

UST Hand Brush w/long Handle, 395 mm, Stiff,

Item Number: 4196

ULTRA SAFE TECHNOLOGY long handled hand brush with stiff filaments. Ultra Filament Security when cleaning machines, buckets, containers and tubs in high risk areas. The angled and circular arrangement of the Filament Security Units enables efficient scrubbing and washing process.



	Visible filament length, mm	23
	Filament Description	Medium
	Material	Polypropylene,Polyester,Stainless Steel
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	121

Dish Brush with scraping edge, 280 mm, Medium,

Item Number: 4237

Utility brush with medium bristles, suitable for detailed cleaning of machinery and equipment.



	Visible filament length, mm	24
	Filament Description	Medium
	Material	Polypropylene,Polyester,Stainless Steel
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	121

Dish Brush, 290 mm, Medium,

Item Number: 4287

Utility brush with medium bristles, suitable for detailed cleaning of machinery and equipment.



	Visible filament length, mm	25
	Filament Description	Stiff
	Material	Polypropylene,Polyester,Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Brush with heat resistant filaments, 290 mm, Stiff, White

Item Number: 42885

Brush for removing debris from heat sealers and other packing equipment. It is ideal for cleaning grills and frying pans when cleaned whilst still warm.



	Visible filament length, mm	15
	Filament Description	Extra Stiff
	Material	Polypropylene,Polyester,Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Detail Brush, 205 mm, Extra Stiff,

Item Number: 4401

Small compact hand brush suitable for cleaning in and around gaskets, rubber strips and joints on machinery. It is also ideal for cleaning equipment link conveyor belts.



	Length, mm	330
	Filament Description	Stiff
	Material	Polyester,Polypropylene
	Box Quantity, Pcs.	5

Interior Brush, 330 mm, Stiff, Black

Item Number: 450052

Slimline upholstery and carpet cleaning brush. Ideal for cleaning in areas with limited access i.e. under and in between seats and seat runners.

	Length, mm	330
	Filament Description	Soft
	Material	Polyester,Polypropylene
	Box Quantity, Pcs.	5

Hand Brush w/Short Handle, 330 mm, Soft, Black

Item Number: 450252

Slimline soft sweeping brush ideal for use on workshop benches.

	Visible filament length, mm	57
	Filament Description	Medium
	Material	Polyester,Glass reinforced,Polypropylene
	Box Quantity, Pcs.	10

UST Bench Brush, 330 mm, Medium,

Item Number: 4585

ULTRA SAFE TECHNOLOGY bench brush with medium Ultra Filament Security. The brush is ideal for sweeping damp particles from conveyor belts, food preparation surfaces, tables and equipment in high risk areas. The placement of the Filament Security Units enables efficient sweeping of damp and wet particles.



	Visible filament length, mm	57
	Filament Description	Soft
	Material	Polyester,Glass reinforced,Polypropylene
	Box Quantity, Pcs.	10

UST Bench Brush, 330 mm, Soft,

Item Number: 4581

ULTRA SAFE TECHNOLOGY bench brush with soft Ultra Filament Security. The brush is ideal for sweeping fine dry particles from conveyor belts, food preparation surfaces, tables and equipment in high risk areas. The placement of the Filament Security Units enables efficient sweeping of fine dry particles.

	Visible filament length, mm	48
	Filament Description	Soft
	Material	Polypropylene,Polyester,Stainless Steel
	Box Quantity, Pcs.	15
	Max cleaning temperature (Autoclave), °Celsius	121

Hand Brush, 330 mm, Soft,

Item Number: 4587

Hand brush with soft bristles is ideal for sweeping fine particles such as flour from conveyor belts, food preparation surfaces, tables and equipment. Suitable for use with 5660 dustpan.



	Visible filament length, mm	60
	Filament Description	Soft
	Material	Polypropylene,Polyester,Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Powder Brush, 300 mm, Soft,

Item Number: 4582

Powder brush with soft bristles is ideal for sweeping fine particles such as flour from conveyor belts and food preparation surfaces.



	Visible filament length, mm	50
	Filament Description	Medium
	Material	Polypropylene,Polyester,Stainless Steel
	Box Quantity, Pcs.	15
	Max cleaning temperature (Autoclave), °Celsius	121

Hand Brush, 330 mm, Medium,

Item Number: 4589

Hand brush with medium bristles is ideal for sweeping fine particles such as flour from conveyor belts, food preparation surfaces, tables and equipment. Suitable for use with 5660 dustpan.



	Visible filament length, mm	
	Filament Description	Stiff
	Material	Polypropylene, Polyester, Stainless Steel
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	121

Scrubbing Brush - heat resistant filaments, 150 mm, Stiff, White

Item Number: 47535

Brush for cleaning grills or heated surfaces. Has a fantastic scrubbing effect.

	Visible filament length, mm	45
	Filament Description	Stiff
	Material	Tampico Fibre, Wood
	Box Quantity, Pcs.	5

Tar Brush, w/Socket, 230 mm, Stiff, Wood

Item Number: 4814

Kosten er særdeles velegnet til tjære og syre.



	Visible filament length, mm	52
	Filament Description	Soft/split
	Material	Polypropylene, Polyester
	Box Quantity, Pcs.	1

Vehicle Brush, waterfed, 270 mm, Soft/split, Black

Item Number: 475552

Effective small vehicle wash brush which can be used as a water-fed or dip brush. Can be used with any handle within the Vikan Transport System.

	Length, mm	400
	Filament Description	Medium
	Material	Polypropylene
	Box Quantity, Pcs.	12

Toilet Brush, 400 mm, Medium, White

Item Number: 5045

Toilet brush and holder

	Visible filament length, mm	52
	Filament Description	Soft/split
	Material	Polypropylene, Polyester
	Box Quantity, Pcs.	1

Vehicle Brush, waterfed, 370 mm, Soft/split, Black

Item Number: 475752

Effective large vehicle wash brush which can be used as a water-fed or dip brush. Can be used with any handle within the Vikan Transport System.

	Length, mm	400
	Filament Description	Medium
	Material	Polypropylene
	Box Quantity, Pcs.	10

Toilet Brush w/Rim Brush, 400 mm, Medium, White

Item Number: 5055

Toilet brush with rim brush and elegant holder.

	Length, mm	490
	Filament Description	Stiff
	Material	Polypropylene,PVC
	Box Quantity, Pcs.	10

Snow Brush, 490 mm, Stiff, Black

Item Number: 520052

Combined Ice Scraper & Snow Brush to effectively remove ice from windscreens and windows.

	Length, mm	275
	Filament Description	Soft/split
	Material	Polypropylene,Polyester
	Box Quantity, Pcs.	5

Vehicle Brush w/Short Handle, 275 mm, Soft/split, Black

Item Number: 522752

Effective long handled brush for general vehicle washing tasks i.e: chassis cleaning, storage tanks, wheel arches and engine compartments.

	Length, mm	335
	Filament Description	Stiff
	Material	Polypropylene,Polyethylene,Hair mix
	Box Quantity, Pcs.	10

Snow Brush, 335 mm, Stiff, Black

Item Number: 521552

The snow brush is made of black polypropylene and has a rubber handle and special bristle mixture.

	Length, mm	320
	Filament Description	Soft/split
	Material	Polypropylene,Polyester
	Box Quantity, Pcs.	5

Hand Brush, 320 mm, Soft/split, Black

Item Number: 524652

Effective vehicle wash brush where close attention to detail cleaning is required using a dip brush.

	Length, mm	420
	Filament Description	Soft/split
	Material	Polypropylene,Polyester
	Box Quantity, Pcs.	5

Vehicle Brush w/Long Handle, 420 mm, Soft/split, Black

Item Number: 522252

Effective long handled brush for general vehicle washing tasks i.e: chassis cleaning, storage tanks, wheel arches and engine compartments.

	Length, mm	280
	Filament Description	Soft/split
	Material	Polypropylene,Polyester
	Box Quantity, Pcs.	1

Washing Brush, waterfed, High/Low, 280 mm, Soft/split,Black

Item Number: 524752

The angled design of this wash brush enables the brush to be in constant contact with surfaces during washing, used with a selection of Vikan telescopic handles.

	Length, mm	320
	Product Diameter, mm	65
	Filament Description	Soft
	Material	Polypropylene,Hair
	Box Quantity, Pcs.	12

Rim Brush, Ø65 mm, 320 mm, Soft, Black

Item Number: 525052

Alloy wheel cleaning brush with soft natural filaments, chemical resistant with nylon protected handle.

	Length, mm	360
	Filament Description	Soft/split
	Material	Polypropylene,Polyester
	Box Quantity, Pcs.	5

Vehicle Brush, waterfed, 360 mm, Soft/split, Black

Item Number: 525452

Effective, water-fed, vehicle wash brush where close attention to detail cleaning is required.

	Length, mm	290
	Filament Description	Soft/split
	Material	Polypropylene,Polyester
	Box Quantity, Pcs.	9

Multi Brush/Rim Cleaner, 290 mm, Soft/split, Black

Item Number: 525252

All-round Vehicle brush for small areas.

	Length, mm	250
	Filament Description	Soft/split
	Material	Polypropylene,Polyester
	Box Quantity, Pcs.	1

Vehicle Brush, waterfed, 250 mm, Soft/split, Black

Item Number: 526852

The angle adjustable feature of this effective wash brush enables it to work effectively in high and difficult to access areas. Can be used with any handle within the Vikan Transport System.

	Length, mm	335
	Product Diameter, mm	65
	Filament Description	Stiff
	Material	Polypropylene,Polyester
	Box Quantity, Pcs.	12

Rim Cleaner, Ø65 mm, 335 mm, Stiff, Black

Item Number: 525352

Alloy wheel cleaning brush with medium stiffness, synthetic filaments, chemical resistant with nylon protected handle

	Length, mm	230
	Filament Description	Soft/split
	Material	Polypropylene,Polyester
	Box Quantity, Pcs.	1

Vehicle Brush, waterfed, 230 mm, Soft/split, Black

Item Number: 526952

Effective small vehicle wash brush which can be used as a water-fed or dip brush. Can be used with any handle within the Vikan Transport System.

	Length, mm	200
	Product Diameter, mm	12
	Filament Description	Medium
	Material	Polypropylene, Polyester, Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Tube Brush f/flexible handle, Ø12 mm, 200 mm, Medium,

Item Number: 5354

Brush for flexible handle, 53515 and 53525 Suitable for cleaning pipes in dairies, breweries and the fishing industry.



	Length, mm	200
	Product Diameter, mm	60
	Filament Description	Medium
	Material	Polypropylene, Polyester, Stainless Steel
	Box Quantity, Pcs.	12
	Max cleaning temperature (Autoclave), °Celsius	121

Tube Brush f/flexible handle, Ø60 mm, 200 mm, Medium,

Item Number: 5356

Brush for flexible handle, 53515 and 53525 Suitable for cleaning pipes in dairies, breweries and the fishing industry.



	Length, mm	490
	Product Diameter, mm	
	Filament Description	
	Material	Polyester, Polypropylene, Stainless Steel
	Box Quantity, Pcs.	1

Brush Kit f/Softice Machines, White

Item Number: 53575

This set of brushes was designed to clean the traditional Sundae machines. The brushes vary in diameter to reach into all the small areas of this machine.



	Length, mm	500
	Product Diameter, mm	
	Filament Description	
	Material	Polyester, Polypropylene, Stainless Steel
	Box Quantity, Pcs.	5

Brush Kit f/Softice Machines, Red

Item Number: 53584

Assortment of different tube cleaners with varying diameters, which can be used to clean in particular Taylor and Carpigiani Soft Ice Machines or other similar equipment.



	Length, mm	310
	Product Diameter, mm	15
	Filament Description	Stiff
	Material	Polypropylene, Polyester, Stainless Steel
	Box Quantity, Pcs.	15
	Max cleaning temperature (Autoclave), °Celsius	121

Tube Brush, Ø15 mm, 310 mm, Stiff,

Item Number: 5360

Tube brush suitable for cleaning bottles, tubes and gaps between lines on conveyor belts. This tube cleaner is also ideal for cleaning holes in drains.



	Length, mm	275
	Product Diameter, mm	55
	Filament Description	Stiff
	Material	Polypropylene, Polyester, Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Drain Cleaning Brush, 275 mm, Stiff, Black

Item Number: 53619

Brush is ideal for cleaning drains and gulleys. Suitable for use with any Vikan handle. Excellent for cleaning drains with limited access.




	Length, mm	150
	Product Diameter, mm	
	Filament Description	Soft
	Material	Polyester,Stainless Steel
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	121

Cleaning set w/3 Brushes, Ø2, Ø5, Ø6 mm, Soft,

Item Number: 5362

The brush set is suitable for cleaning very small nozzles and valves on eg. coffee and juice machines. The brush heads have a diameter of Ø2, Ø5 and Ø6 mm respectively.



	Length, mm	375
	Product Diameter, mm	9
	Filament Description	Medium
	Material	Polypropylene,Polyester,Stainless Steel
	Box Quantity, Pcs.	15
	Max cleaning temperature (Autoclave), °Celsius	121

Tube Brush, Ø9 mm, 375 mm, Medium,

Item Number: 5363

This very narrow tube brush with flexible brush head is suitable for cleaning of tubes and valves as well as other not easily accessible areas on machinery and equipment.



	Length, mm	200
	Product Diameter, mm	20
	Filament Description	Medium
	Material	Polypropylene,Polyester,Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Tube Brush f/flexible handle, Ø20 mm, 200 mm, Medium,

Item Number: 5365

Brush for flexible handle, 53515 and 53525 Suitable for cleaning pipes in dairies, breweries and the fishing industry.



	Length, mm	200
	Product Diameter, mm	40
	Filament Description	Medium
	Material	Polypropylene,Polyester,Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Tube Brush f/flexible handle, Ø40 mm, 200 mm, Medium,

Item Number: 5368

Brush for flexible handle, 53515 and 53525 Suitable for cleaning pipes in dairies, breweries and the fishing industry.



	Length, mm	510
	Product Diameter, mm	60
	Filament Description	Medium
	Material	Polypropylene,Polyester,Stainless Steel
	Box Quantity, Pcs.	15
	Max cleaning temperature (Autoclave), °Celsius	121

Tube Brush, Ø60 mm, 510 mm, Medium,

Item Number: 5370

Tube Brush suitable for cleaning bottles, tubes and gaps between lines on conveyor belts.



	Length, mm	530
	Product Diameter, mm	
	Filament Description	Soft
	Material	Polypropylene,Polyester,Stainless Steel
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	121

Brush f/External Cleaning of Pipes, 530 mm, Soft, Blue

Item Number: 53713

Together with a telescopic handle this brush is ideal for cleaning the outside of overhead pipes and ducting. This item is only available in Blue.



Length, mm	510
Product Diameter, mm	
Filament Description	Medium
Material	Polypropylene, Polyester, Stainless Steel
Box Quantity, Pcs.	5
Max cleaning temperature (Autoclave), °Celsius	121

Brush f/External Cleaning of Pipes, 510 mm, Medium, Blue

Item Number: 53743

Together with a telescopic handle this brush is ideal for cleaning the outside of overhead pipes and ducting. This item is only available in Blue.



Length, mm	510
Product Diameter, mm	40
Filament Description	Stiff
Material	Polypropylene, Polyester, Stainless Steel
Box Quantity, Pcs.	15
Max cleaning temperature (Autoclave), °Celsius	121

Tube Brush, Ø40 mm, 510 mm, Stiff,

Item Number: 5378

Tube Brush suitable for cleaning bottles, tubes and gaps between lines on conveyor belts.



Length, mm	480
Product Diameter, mm	10
Filament Description	Stiff
Material	Polypropylene, Polyester, Stainless Steel
Box Quantity, Pcs.	15
Max cleaning temperature (Autoclave), °Celsius	121

Tube Brush, Ø10 mm, 480 mm, Stiff,

Item Number: 5375

Tube Brush suitable for cleaning bottles, tubes and gaps between lines on conveyor belts.



Length, mm	510
Product Diameter, mm	50
Filament Description	Medium
Material	Polypropylene, Polyester, Stainless Steel
Box Quantity, Pcs.	15
Max cleaning temperature (Autoclave), °Celsius	121

Tube Brush, Ø50 mm, 510 mm, Medium,

Item Number: 5379

Tube Brush suitable for cleaning bottles, tubes and gaps between lines on conveyor belts.



Length, mm	500
Product Diameter, mm	20
Filament Description	Medium
Material	Polypropylene, Polyester, Stainless Steel
Box Quantity, Pcs.	15
Max cleaning temperature (Autoclave), °Celsius	121

Tube Brush, Ø20 mm, 500 mm, Medium,

Item Number: 5376

Tube Brush suitable for cleaning bottles, tubes and gaps between lines on conveyor belts.



Length, mm	170
Product Diameter, mm	103
Filament Description	Medium
Material	Polypropylene, Polyester, Stainless Steel
Box Quantity, Pcs.	12
Max cleaning temperature (Autoclave), °Celsius	121

Pipe Cleaning Brush f/handle, Ø103 mm, Medium,

Item Number: 5380103

This tube cleaner is ideal for cleaning various kinds of tubes including meat mincers in the Butchery Department. Can be used with any vikan handle from Vikan Hygiene System. Colour coded for segregation.





Length, mm	140
Product Diameter, mm	50
Filament Description	Stiff
Material	Polypropylene, Polyester, Stainless Steel
Box Quantity, Pcs.	15
Max cleaning temperature (Autoclave), °Celsius	121

Pipe Cleaning Brush f/handle, Ø50 mm, Stiff,

Item Number: 538050

Fits all Vikan-handles. Tube cleaner is effective for cleaning of various kinds of tubes. Suitable for cleaning of e.g. sorting machines in the fishing industry or meat mincers in a butchery shop.



Length, mm	145
Product Diameter, mm	63
Filament Description	Stiff
Material	Polypropylene, Polyester, Stainless Steel
Box Quantity, Pcs.	15
Max cleaning temperature (Autoclave), °Celsius	121

Pipe Cleaning Brush f/handle, Ø63 mm, Stiff,

Item Number: 538063

Fits all Vikan-handles. Tube cleaner is effective for cleaning of various kinds of tubes. Suitable for cleaning of e.g. sorting machines in the fishing industry or meat mincers in a butchery shop.



Length, mm	155
Product Diameter, mm	77
Filament Description	Medium
Material	Polypropylene, Polyester, Stainless Steel
Box Quantity, Pcs.	15
Max cleaning temperature (Autoclave), °Celsius	121

Pipe Cleaning Brush f/handle, Ø77 mm, Medium,

Item Number: 538077

Tube cleaner for use with any handle within the Vikan colour coded range. An effective tool for cleaning various kinds of tubes, suitable for cleaning sorting machines in the fishing industry.



Length, mm	160
Product Diameter, mm	90
Filament Description	Medium
Material	Polypropylene, Polyester, Stainless Steel
Box Quantity, Pcs.	12
Max cleaning temperature (Autoclave), °Celsius	121

Pipe Cleaning Brush f/handle, Ø90 mm, Medium,

Item Number: 538090

Tube cleaner for use with any handle within the Vikan colour coded range. An effective tool for cleaning various kinds of tubes, suitable for cleaning sorting machines in the fishing industry.



Length, mm	200
Product Diameter, mm	90
Filament Description	Medium
Material	Polypropylene, Polyester, Stainless Steel
Box Quantity, Pcs.	10
Max cleaning temperature (Autoclave), °Celsius	121

Tube Brush f/flexible handle, Ø90 mm, 200 mm, Medium,

Item Number: 5391

Brush for flexible handle, 53515 and 53525 Suitable for cleaning pipes in dairies, breweries and the fishing industry.



Length, mm	240
Filament Description	Soft/split
Material	Polypropylene, Polyester
Box Quantity, Pcs.	2

Rim Cleaner, waterfed, 240 mm, Soft/split, Black

Item Number: 545252

Large water-fed rim brush, provides effective cleaning of double and single steel wheels on trucks, buses and coaches.

	Visible filament length, mm	45
	Filament Description	Soft
	Material	Polypropylene, Polyester, Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Pastry Brush, 30 mm, Soft,

Item Number: 555030

The bristles are polyester and hygienic as a food-contact brush. They are supersoft and do not damage the pastry when applying egg, oil, butter, etc. Autoclavable and suitable for micro-swabbing. Can resist high temperatures of dishwashers therefore easy to clean.



	Visible filament length, mm	45
	Filament Description	Soft
	Material	Polypropylene, Polyester, Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Pastry Brush, 50 mm, Soft,

Item Number: 555050

The bristles are polyester and hygienic as a food-contact brush. They are supersoft and do not damage the pastry when applying egg, oil, butter, etc. Autoclavable and suitable for micro-swabbing. Can resist high temperatures of dishwashers therefore easy to clean.



	Visible filament length, mm	45
	Filament Description	Soft
	Material	Polypropylene, Polyester, Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Pastry Brush, 70 mm, Soft,

Item Number: 555070

The bristles are polyester and hygienic as a food-contact brush. They are supersoft and do not damage the pastry when applying egg, oil, butter, etc. Autoclavable and suitable for micro-swabbing. Can resist high temperatures of dishwashers therefore easy to clean.



	Length, mm	140
	Filament Description	Soft
	Material	Polypropylene, Polyethylene
	Box Quantity, Pcs.	5

Set of Detail Brushes, 7 pcs., 140 mm, Soft,

Item Number: 556052

Ideal for removing dust particles.

- 1 * 25 x 140 mm
- 1 * 18 x 135 mm
- 1 * 12 x 130 mm
- 2 * 12 x 85 mm
- 1 * 3 x 75 mm

	Length, mm	220
	Filament Description	Soft
	Material	Wood, Hair mix
	Box Quantity, Pcs.	20

Set of 5 Detail Brushes, 220 mm, Soft, White

Item Number: 556152

Various brush sizes for detail work.

	Length, mm	390
	Filament Description	Soft
	Material	Polypropylene, Polyethylene
	Box Quantity, Pcs.	10

Set of Detail Brushes, 30 + 50 mm, 390 mm, Soft,

Item Number: 556452

Ideal for cleaning crevices and other difficult to reach areas

	Length, mm	155
	Filament Description	Medium
	Material	
	Box Quantity, Pcs.	36

Interior Brush

Item Number: 631559

Interior Brush made from natural hair, interior dusting brush for dashboards, instrument panels, switch housings and air ventilation outlets

	Length, mm	480
	Product Diameter, mm	90
	Filament Description	Medium
	Material	Polypropylene, Polyester, Stainless Steel
	Box Quantity, Pcs.	15
	Max cleaning temperature (Autoclave), °Celsius	121

Pipe Brush with Handle, Ø90 mm, Medium,

Item Number: 7033

Ideal for cleaning meat mincers and other similar machinery. Can also be used as a tube brush. Handle can be replaced with any within the Vikan colour coded range.



	Length, mm	120
	Filament Description	Stiff
	Material	Polypropylene, Polyester, Stainless Steel
	Box Quantity, Pcs.	15

Nail Brush, 120 mm, Stiff,

Item Number: 644052

Durable nail brush which is also ideal for use as an upholstery and carpet cleaning brush.

	Length, mm	130
	Product Diameter, mm	135
	Filament Description	Medium
	Material	Polypropylene, Polyester, Stainless Steel
	Box Quantity, Pcs.	8
	Max cleaning temperature (Autoclave), °Celsius	121

Meat Mincer Brush, Ø135 mm, Medium,

Item Number: 7035

Ideal for cleaning tanks and containers. Can be used to clean feeder pipes and tubes in food production equipment. Can be used with any handle within the Vikan colour coded range.



	Visible filament length, mm	17
	Filament Description	Stiff
	Material	Polypropylene, Polyester, Stainless Steel
	Box Quantity, Pcs.	25
	Max cleaning temperature (Autoclave), °Celsius	121

Hand Brush S, 130 mm, Stiff,

Item Number: 6440

This brush can be used for cleaning hands/arms as well as small tables/surfaces and containers.

	Visible filament length, mm	40
	Filament Description	Stiff
	Material	Polypropylene, Polyester, Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Tank Brush, 205 mm, Stiff,

Item Number: 7037

Ideal for cleaning tanks and vats, and is also suitable for cleaning drain gulleys. Can be used with any Vikan handle within the Vikan colour coded range.



	Visible filament length, mm	40
	Filament Description	Medium
	Material	Polypropylene,Stainless Steel
	Box Quantity, Pcs.	10
	Max. cleaning temperature (Dishwasher), °Celsius	85

Tank Brush, 205 mm, Medium,

Item Number: 7039

Ideal for cleaning tanks and vats, and is also suitable for cleaning drain gulleys. Can be used with any handle within the Vikan colour coded range.



	Visible filament length, mm	24
	Filament Description	Extra Stiff
	Material	Polypropylene,Polyester,Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Deck Scrub, waterfed, 270 mm, Extra Stiff,

Item Number: 7041

This deck scrub has very effective water distribution and is ideal for use in heavily soiled areas such as abattoirs and meat processing plants.



	Visible filament length, mm	32
	Filament Description	Medium
	Material	Polypropylene,Polyester,Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Deck Scrub, waterfed, 270 mm, Medium,

Item Number: 7043

This deck scrub has very effective water distribution and is ideal for use in heavily soiled areas such as abattoirs and meat processing plants.



	Visible filament length, mm	36
	Filament Description	Stiff
	Material	Polypropylene,Polyester,Stainless Steel
	Box Quantity, Pcs.	6
	Max cleaning temperature (Autoclave), °Celsius	121

Deck Scrub w/2 filament lengths, 245 mm, Stiff,

Item Number: 7044

Specifically designed for cleaning smaller areas requiring a deck scrub, by pressing the filaments hard towards the floor enables the user to clean into awkward corners and recesses.



	Visible filament length, mm	41
	Filament Description	Medium
	Material	Polypropylene,Polyester,Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

High-Low Brush, 265 mm, Medium,

Item Number: 7047

The High-Low brush is particularly suitable for cleaning fillets (junction between floor/wall) and under machines and equipment since the angle of the thread enables you to place the mounted handle parallel to the floor and thus clean/scrub under the equipment. This brush is also ideal for cleaning drains and gulleys.



	Visible filament length, mm	25
	Filament Description	Stiff
	Material	Polypropylene,Polyester,Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Hand Brush, waterfed & 1/2" Q-coupling, 330 mm, Stiff,

Item Number: 7056Q

Ideal for cleaning boots prior to entering the production area. Fitted with a 1/2" metal coupling.





Visible filament length, mm	25
Filament Description	Stiff
Material	Polypropylene, Polyester, Stainless Steel
Box Quantity, Pcs.	10
Max cleaning temperature (Autoclave), °Celsius	121

Hand Brush, waterfed, 355 mm, Stiff,

Item Number: 7056

Ideal for cleaning boots prior to entering the production area. Tapered coupling must be secured to a hose using a jubilee clip (not supplied).



Visible filament length, mm	45
Filament Description	Stiff
Material	Polypropylene, Polyester, Stainless Steel
Box Quantity, Pcs.	8
Max cleaning temperature (Autoclave), °Celsius	121

Wall/Floor Washing Brush, 470 mm, Stiff,

Item Number: 7062

This large floor scrubbing broom is perfect for scrubbing all types of floors; epoxy, tiles, cement, etc. Can be used with any handle within the Vikan colour coded range.



Visible filament length, mm	46
Filament Description	Stiff
Material	Polypropylene, Polyester, Stainless Steel
Box Quantity, Pcs.	16
Max cleaning temperature (Autoclave), °Celsius	121

Wall/Floor Washing Brush, 305 mm, Stiff,

Item Number: 7060

This deck scrub is ideal for tiled floors in food preparation areas. Can be used with any handle within the Vikan colour coded range.



Visible filament length, mm	37
Filament Description	Stiff
Material	Polyester, Glass reinforced, Polypropylene
Box Quantity, Pcs.	10

UST Deck Scrub, 400 mm, Stiff,

Item Number: 7064

ULTRA SAFE TECHNOLOGY deck scrub, designed to be very effective in scrubbing stubborn dirt on both textured and smooth surfaces in high risk areas. The angled arrangement of the Filament Security Units enables efficient removal of stubborn debris.



Visible filament length, mm	46
Filament Description	Medium
Material	Polypropylene, Polyester, Stainless Steel
Box Quantity, Pcs.	16
Max cleaning temperature (Autoclave), °Celsius	121

Wall/Floor Washing Brush, 305 mm, Medium,

Item Number: 7061

Ideal for both walls and walls floors in a food processing environment for example abattoirs and meat processing plants. Can be used with any handle within the Vikan colour coded range.



Visible filament length, mm	58
Filament Description	Soft/split
Material	Polypropylene, Stainless Steel
Box Quantity, Pcs.	10
Max. cleaning temperature (Dishwasher), °Celsius	85

Broom, 300 mm, Soft/split,

Item Number: 7066

This soft floor broom is suitable for use in dry environments such as flour stores. It is ideal for sweeping flour and starch as well as other dry powders. Must only be used in dry areas. Split filaments do not fulfill the demands of the Hygiene Charter. Can be used with any handle within the Vikan colour coded range.





Visible filament length, mm	44
Filament Description	Soft/split
Material	Polypropylene, Polyester, Stainless Steel
Box Quantity, Pcs.	4
Max cleaning temperature (Autoclave), °Celsius	121

Washing Brush with Angle adjustment, waterfed, 240 mm, Soft/split,

Item Number: 7067

This waterfed brush is full adjustable. It is ideal for a variety of cleaning tasks including high level dusting in difficult to reach areas. Can be used with any handle within the Vikan colour coded range.



Visible filament length, mm	60
Filament Description	Medium
Material	Polypropylene, Polyester, Stainless Steel
Box Quantity, Pcs.	10
Max cleaning temperature (Autoclave), °Celsius	121

Broom, 300 mm, Medium,

Item Number: 7068

Suitable for sweeping medium particles and can be used in both dry and damp environments. Ideal for use in smaller areas within food production. Can be used with any handle within the Vikan colour coded range.



Squeegees & Scrapers

- 250 mm
- 300 mm
- 400 mm
- 500 mm
- 600 mm
- 700 mm



Length, mm	260
Material	Polypropylene, Stainless Steel
Box Quantity, Pcs.	10
Max cleaning temperature (Autoclave), °Celsius	121

Table & Floor Scraper, 260 mm,

Item Number: 2910

Table and floor scraper with stainless steel blade. This scraper is suitable for removing stubborn food debris from floors and other surfaces. Can be used with any handle from the Vikan colour coded range.



Length, mm	260
Material	Polypropylene, Stainless Steel
Box Quantity, Pcs.	10
Max cleaning temperature (Autoclave), °Celsius	121

Scraper with flexible steel blade, 260 mm,

Item Number: 2911

This scraper is ideal for cleaning powder towers and other surfaces where you need extra force to loosen the dirt. The rounded edges of the flexible steel blade helps protect the surfaces where it is being used from getting scratches. Can be used with any handle within the Vikan colour coded range.



Length, mm	270
Material	Polyamide, Nylon
Box Quantity, Pcs.	10
Max cleaning temperature (Autoclave), °Celsius	121

Table- & Floor Scraper, 270 mm,

Item Number: 2912

Flexible nylon table and floor scraper. This scraper is suitable for removing stubborn food debris from floors and stainless steel surfaces and equipment. Can be used with any handle within the Vikan colour coded range.



Length, mm	90
Material	Polypropylene, Stainless Steel
Box Quantity, Pcs.	20
Max cleaning temperature (Autoclave), °Celsius	121

Hand Scraper w/steel blade, 90 mm,

Item Number: 4050

Hand Scraper with stainless steel angled blade and colour coded polypropylene hand grip is ideal for removing stubborn debris on conveyor belts, baking trays and equipment and machinery.



Length, mm	165
Material	Polypropylene
Box Quantity, Pcs.	10
Max cleaning temperature (Autoclave), °Celsius	121

Hand Scraper, flexible, Metal Detectable, 165 mm, Dark blue

Item Number: 405199

Metal detectable flexible scraper (can be tested using test kit, item no. 1111), is suitable for cleaning work benches, conveyor belts, emptying containers and buckets. It has a scraping edge on 3 sides.



	Length, mm	165
	Material	Polypropylene
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Hand Scraper, flexible, 165 mm,

Item Number: 4051

Flexible scraper, suitable for the cleaning of working benches, conveyor belts, emptying containers and buckets. It has a scraping edge on 3 sides.



	Length, mm	105
	Material	Polypropylene, Polyamide
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	121

Hand Scraper w/nylon blade, 105 mm,

Item Number: 4055

Nylon scraper with an angled ergonomic handle can ideally be used for scraping on smooth surfaces. Suitable for loosening stubborn dirt like pastry, chocolate, burnt food, etc. The nylon blade can be used on sensitive surfaces to avoid scratch damage, e.g. painted equipment and sensitive conveyor belts.



	Length, mm	75
	Material	Polypropylene
	Box Quantity, Pcs.	25
	Max cleaning temperature (Autoclave), °Celsius	121

Hand Scraper, Metal Detectable, 75 mm, Dark blue

Item Number: 406099

Made from metal detectable material, which you can test by use of our test kit, item no. 11199. This narrow scraper allows access to small areas and rounded equipment like large bowls. It is useful for loosening stubborn dirt like pastry, chocolate, burnt food, etc. It is sharpened on both sides which means the blade stays sharp longer.



	Length, mm	75
	Material	Polypropylene
	Box Quantity, Pcs.	25
	Max cleaning temperature (Autoclave), °Celsius	121

Hand Scraper, 75 mm,

Item Number: 4060

Narrow hand scraper allows access to small areas and rounded equipment like large bowls. It is useful for loosening stubborn dirt i.e. pastry, chocolate, burnt food, etc. The polypropylene construction reduces the possibility of scratching sensitive surfaces.



	Length, mm	102
	Material	Polypropylene
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	121

Hand Scraper, Metal Detectable, 102 mm, Dark blue

Item Number: 406199

Metal detectable narrow hand scraper (can be tested using test kit, item no. 11199), allows access to small areas and rounded equipment like large bowls. It is useful for loosening stubborn dirt i.e. pastry, chocolate, burnt food, etc. The polypropylene construction reduces the possibility of scratching sensitive surfaces.



	Length, mm	102
	Material	Polypropylene
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	121

Hand Scraper, 102 mm,

Item Number: 4061

The ergonomic design of this hand scraper makes it comfortable to work with. It is excellent for use on all food preparation surfaces in kitchens.



	Length, mm	515
	Material	Polypropylene,Synthetic rubber
	Box Quantity, Pcs.	12

Windscreen Scraper w/Sponge, 515 mm, Black

Item Number: 473752

Ideal for windscreen cleaning. Combines sponge with insect net and rubber blade.

	Length, mm	255
	Material	Polypropylene,Synthetic rubber,Galvanized steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	

Window Squeegee, 255 mm, Grey

Item Number: 476118

Window Squeegee. If cone, 282904 is mounted on the squeegee, you can use it with any Vikan threaded handle.

	Length, mm	200
	Material	Polypropylene,Synthetic rubber
	Box Quantity, Pcs.	24

Head f/Windscreen Scraper 473752 & 473952, 200 mm, Black

Item Number: 473852

Replacement head for use with windscreen scrapers 473752 and 473952.

	Length, mm	355
	Material	Polypropylene,Synthetic rubber,Galvanized steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	

Window Squeegee, 355 mm, Grey

Item Number: 476218

Window Squeegee. If cone, 282904 is mounted on the squeegee, you can use it with any Vikan threaded handle.

	Length, mm	710
	Material	Anodised Aluminium,Polyamide
	Box Quantity, Pcs.	12

Windscreen Scraper w/Sponge & Telescopic Handle, 710 mm, Black

Item Number: 473952

Telescopic windscreen scraper with sponge. The handle extending to 125cm makes it suitable for cleaning windscreens on trucks and buses.

	Length, mm	220
	Material	Polyamide,Nylon
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	121

Paddle Scraper Blade, 220 mm, White

Item Number: 70115

Ideal for use as a mixing tool for cooking pots. Can be used with any handle within the Vikan colour coded range. Only available in white.

	Length, mm	220
	Material	Polyethylene
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	80

Paddle Scraper Blade, flexible, 220 mm, White

Item Number: 70135

Ideal for use as a mixing tool for cooking pots. Can be used with any handle within the Vikan colour coded range. Only available in white.



	Length, mm	450
	Material	POM,SEBS
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	

Wipe-N-Shine, 450 mm, Green

Item Number: 707952

Effectively removes water residue and limescale deposits from washed and painted surfaces.

	Length, mm	250
	Material	POM,SEBS
	Box Quantity, Pcs.	6
	Max cleaning temperature (Autoclave), °Celsius	

Wipe-N-Shine, 250 mm, Green

Item Number: 707752

Effectively removes water residue and limescale deposits from washed and painted surfaces.

	Length, mm	400
	Material	Polypropylene,TPE Rubber
	Box Quantity, Pcs.	12
	Max cleaning temperature (Autoclave), °Celsius	

Floor Squeegee, 400 mm, Black

Item Number: 708849

Floor squeegee made of black polypropylene with black cellular rubber blade which removes water and oil effectively. Can be used with any handle within the Vikan Transport System.

	Length, mm	350
	Material	POM,SEBS
	Box Quantity, Pcs.	6
	Max cleaning temperature (Autoclave), °Celsius	

Wipe-N-Shine, 350 mm, Green

Item Number: 707852

Effectively removes water residue and limescale deposits from washed and painted surfaces.

	Length, mm	384
	Material	Polypropylene,TPE Rubber
	Box Quantity, Pcs.	12
	Max cleaning temperature (Autoclave), °Celsius	

Floor Squeegee, 384 mm, Black

Item Number: 708869

Floor squeegee made of black polypropylene with black cellular rubber blade which removes water and oil effectively. Can be used with any handle within the Vikan Transport System.

	Length, mm	245
	Material	Polypropylene,TPE Rubber
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	121

Ultra Hygiene Table Squeegee w/Mini Handle, 245 mm,

Item Number: 7125

Ultra hygienic fully moulded single bladed squeegee with a soft and flexible blade which is easy to keep completely clean. Ideal for removing excess water and food debris from food preparation surfaces.



	Length, mm	400
	Material	Polypropylene,TPE Rubber
	Box Quantity, Pcs.	15
	Max cleaning temperature (Autoclave), °Celsius	121

Ultra Hygiene Squeegee, 400 mm,

Item Number: 7140

Ultra hygienic squeegee, combines optimum hygiene with effective water removal from walls, floors and table surfaces. The angled blade allows the squeegee to remove water from corners and other difficult to reach areas. The squeegee's splash guard ensures that the liquid is not splashed onto the dried surface.



	Length, mm	500
	Material	Polypropylene,TPE Rubber
	Box Quantity, Pcs.	15
	Max cleaning temperature (Autoclave), °Celsius	121

Ultra Hygiene Squeegee, 500 mm,

Item Number: 7150

Ultra hygienic squeegee, combines optimum hygiene with effective water removal from walls, floors and table surfaces. The angled blade allows the squeegee to remove water from corners and other difficult to reach areas. The squeegee's splash guard ensures that the liquid is not splashed onto the dried surface.



	Length, mm	600
	Material	Polypropylene,TPE Rubber
	Box Quantity, Pcs.	15
	Max cleaning temperature (Autoclave), °Celsius	121

Ultra Hygiene Squeegee, 600 mm,

Item Number: 7160

Ultra hygienic squeegee, combines optimum hygiene with effective water removal from walls, floors and table surfaces. The angled blade allows the squeegee to remove water from corners and other difficult to reach areas. The squeegee's splash guard ensures that the liquid is not splashed onto the dried surface.



	Length, mm	700
	Material	Polypropylene,TPE Rubber
	Box Quantity, Pcs.	15
	Max cleaning temperature (Autoclave), °Celsius	121

Ultra Hygiene Squeegee, 700 mm,

Item Number: 7170

Ultra hygienic squeegee, combines optimum hygiene with effective water removal from walls, floors and table surfaces. The angled blade allows the squeegee to remove water from corners and other difficult to reach areas. The squeegee's splash guard ensures that the liquid is not splashed onto the dried surface.



	Length, mm	250
	Material	Polypropylene,TPE Rubber
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	121

Hygienic Hand Squeegee with replacement cassette, 250 mm,

Item Number: 7711

This squeegee has been designed for areas where both high levels of hygiene and effective removal of water and waste are required. The cassette is removed easily for cleaning or replacement. Replacement Squeegee Blade: Series 7731.



	Length, mm	405
	Material	Polypropylene,TPE Rubber
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Hygienic Floor Squeegee w/replacement cassette, 405 mm,

Item Number: 7712

This squeegee has been designed for areas where both high levels of hygiene and effective removal of water are required. Ideal for use on all types of surfaces including tiled and safety flooring. The cassette is removed easily for cleaning or replacement. Replacement Squeegee Blade: Series 7732.



	Length, mm	505
	Material	Polypropylene,TPE Rubber
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Hygienic Floor Squeegee w/replacement cassette, 505 mm,

Item Number: 7713

This squeegee has been designed for areas where both high levels of hygiene and effective removal of water are required. Ideal for use on all types of surfaces including tiled and safety flooring. The cassette is removed easily for cleaning or replacement. Replacement Squeegee Blade: Series 7733.



	Length, mm	605
	Material	Polypropylene,TPE Rubber
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Hygienic Floor Squeegee w/replacement cassette, 605 mm,

Item Number: 7714

This squeegee has been designed for areas where both high levels of hygiene and effective removal of water are required. Ideal for use on all types of surfaces including tiled and safety flooring. The cassette is removed easily for cleaning or replacement. Replacement Squeegee Blade: Series 7734.



	Length, mm	700
	Material	Polypropylene,TPE Rubber
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Hygienic Floor Squeegee w/replacement cassette, 700 mm,

Item Number: 7715

This squeegee has been designed for areas where both high levels of hygiene and effective removal of water are required. Ideal for use on all types of surfaces including tiled and safety flooring. The cassette is removed easily for cleaning or replacement. Replacement Squeegee Blade: Series 7735.



	Length, mm	400
	Material	Polypropylene,TPE Rubber
	Box Quantity, Pcs.	3
	Max cleaning temperature (Autoclave), °Celsius	121

Condensation squeegee, 400 mm,

Item Number: 7716

Squeegee with drain holes for effective removal of condensation from ceilings and pipes. Condensation is safely collected in a bottle or drained away through an attached hose enabling the process to be carried out during production.



	Length, mm	405
	Material	Polypropylene,TPE Rubber
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Hygienic Revolving Neck Squeegee w/replacement cassette, 405 mm,

Item Number: 7722

This squeegee has been designed for areas where both high levels of hygiene and effective removal of water are required. Ideal for use on all types of surfaces including tiled and safety flooring. The cassette is removed easily for cleaning or replacement. Replacement Squeegee Blade: Series 7732.



	Length, mm	505
	Material	Polypropylene,TPE Rubber
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Hygienic Revolving Neck Squeegee w/replacement cassette, 505 mm,

Item Number: 7723

This squeegee has been designed for areas where both high levels of hygiene and effective removal of water are required. Ideal for use on all types of surfaces including tiled and safety flooring. The cassette is removed easily for cleaning or replacement.
Replacement Squeegee Blade: Series 7733.



	Length, mm	600
	Material	Polypropylene,TPE Rubber
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Hygienic Revolving Neck Squeegee w/replacement cassette, 600 mm,

Item Number: 7724

This squeegee has been designed for areas where both high levels of hygiene and effective removal of water are required. Ideal for use on all types of surfaces including tiled and safety flooring. The cassette is removed easily for cleaning or replacement.
Replacement Squeegee Blade: Series 7734.



	Length, mm	700
	Material	Polypropylene,TPE Rubber
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Hygienic Revolving Neck Squeegee w/replacement cassette, 700 mm,

Item Number: 7725

This squeegee has been designed for areas where both high levels of hygiene and effective removal of water are required. Ideal for use on all types of surfaces including tiled and safety flooring. The cassette is removed easily for cleaning or replacement.
Replacement Squeegee Blade: Series 7735.



	Length, mm	250
	Material	Polypropylene,TPE Rubber
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	121

Replacement Cassette, Hygienic, 250 mm,

Item Number: 7731

Replacement squeegee blade for 2C hand squeegee, 7711x



	Length, mm	400
	Material	Polypropylene,TPE Rubber
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	121

Replacement Cassette, Hygienic, 400 mm,

Item Number: 7732

Replacement squeegee blade for 2C squeegee, 7712x and 7722x



	Length, mm	500
	Material	Polypropylene,TPE Rubber
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	121

Replacement Cassette, Hygienic, 500 mm,

Item Number: 7733

Replacement squeegee blade for 2C squeegee, 7713x and 7723x



	Length, mm	600
	Material	Polypropylene,TPE Rubber
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	121

Replacement Cassette, Hygienic, 600 mm,

Item Number: 7734

Replacement squeegee blade for 2C squeegee, 7714x and 7724x



	Length, mm	700
	Material	Polypropylene,TPE Rubber
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	121

Replacement Cassette, Hygienic, 700 mm,

Item Number: 7735

Replacement squeegee blade for 2C squeegee, 7715x and 7725x



	Length, mm	250
	Material	Polypropylene,Cellular rubber
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	90

Hand Squeegee with Replacement Cassette, 250 mm,

Item Number: 7751

Double blade hand squeegee provides effective removal of both water and food debris from food preparation surfaces. The cassette is removed easily for cleaning or replacement.

Replacement squeegee blade 77715



	Length, mm	400
	Material	Polypropylene,Cellular rubber
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	80

Floor squeegee w/Replacement Cassette, 400 mm,

Item Number: 7752

Double blade squeegee provides effective removal of both water and food debris from all types of flooring. The cassette is removed easily for cleaning or replacement. Can be used with any handle within the Vikan colour coded range.

Replacement squeegee blade 77725 / 77729



	Length, mm	500
	Material	Polypropylene,Cellular rubber
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	80

Floor squeegee w/Replacement Cassette, 500 mm,

Item Number: 7753

Double blade squeegee provides effective removal of both water and food debris from all types of flooring. The cassette is removed easily for cleaning or replacement.

Can be used with any handle within the Vikan colour coded range.

Replacement squeegee blade 77735 / 77739.



	Length, mm	600
	Material	Polypropylene,Cellular rubber
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	80

Floor squeegee w/Replacement Cassette, 600 mm,

Item Number: 7754

Double blade squeegee provides effective removal of both water and food debris from all types of flooring. The cassette is removed easily for cleaning or replacement.

Can be used with any handle within the Vikan colour coded range.

Replacement squeegee blade 77745 / 77749.



	Length, mm	700
	Material	Polypropylene,Cellular rubber
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	80

Floor squeegee w/Replacement Cassette, 700 mm,

Item Number: 7755

Double blade squeegee provides effective cleaning. The cassette is removed easily for cleaning or replacement. Can be used with any handle within the Vikan colour coded range.

Replacement squeegee 77755 / 77759.



	Length, mm	400
	Material	Polypropylene,Cellular rubber
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	90

Revolving Neck Floor squeegee w/Replacement Cassette, 400 mm,

Item Number: 7762

Double blade squeegee with swivel neck, provides effective removal of both water and food debris from all types of flooring. The cassette is removed easily for cleaning or replacement. Can be used with any handle within the Vikan colour coded range.

Replacement squeegee blade 77725 / 77729



	Length, mm	500
	Material	Polypropylene,Cellular rubber
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	90

Revolving Neck Floor squeegee w/Replacement Cassette, 500 mm,

Item Number: 7763

The cell rubber makes this the most effective squeegee in the Vikan range. It is excellent on all types of floors as the soft rubber reaches into the spaces on the floor (like grouting between tiles). The dirt is easily visible on the white blade and can be monitored more effectively. Cartridge system the blade can be removed for easy cleaning. Replacement squeegee blade 77735 / 77739.



	Length, mm	600
	Material	Polypropylene,Cellular rubber
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	90

Revolving Neck Floor squeegee w/Replacement Cassette, 600 mm,

Item Number: 7764

Double blade squeegee provides effective removal of both water and food debris from all types of flooring. The cassette is removed easily for cleaning or replacement.

Can be used with any handle within the Vikan colour coded range. Replacement squeegee blade 77745 / 77749.



	Length, mm	700
	Material	Polypropylene,Cellular rubber
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	90

Revolving Neck Floor squeegee w/Replacement Cassette, 700 mm,

Item Number: 7765

Double blade squeegee provides effective removal of both water and food debris from all types of flooring. The cassette is removed easily for cleaning or replacement.

Can be used with any handle within the Vikan colour coded range. Replacement squeegee blade 77755 / 77759.



	Length, mm	250
	Material	Polypropylene,Cellular rubber
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	90

Replacement Cassette, 250 mm,

Item Number: 7771

Replacement squeegee blade, 25 cm



	Length, mm	400
	Material	Polypropylene, Cellular rubber
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	90

Replacement Cassette, 400 mm,

Item Number: 7772

Replacement squeegee blade, 40 cm



	Length, mm	500
	Material	Polypropylene, Cellular rubber
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	90

Replacement Cassette, 500 mm,

Item Number: 7773

Replacement squeegee blade, 50 cm



	Length, mm	600
	Material	Polypropylene, Cellular rubber
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	90

Replacement Cassette, 600 mm,

Item Number: 7774

Replacement squeegee blade, 60 cm



	Length, mm	700
	Material	Polypropylene, Cellular rubber
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	90


Replacement Cassette, 700 mm,

Item Number: 7775

Replacement squeegee blade, 70 cm



Handles



	Length, mm	100
	Volume, Litre(s)	0,5
	Material	Polyethylene, Chromium-plated brass
	Box Quantity, Pcs.	3

Condensation Bottle, 0.5 Litre(s),

Item Number: 11005

Bottle for collecting condensation when using condensation squeegee 7716x. With metal coupling, easily connected to 2991Q and 2973Q handles.

	Length, mm	100
	Product Diameter, mm	
	Material	Polypropylene
	Box Quantity, Pcs.	10

Cone for paint roller, 100 mm, Black

Item Number: 282904

Overgangsstykke som monteres på malerbøjler og vinduesskrabere, så et Vikan skaft med gevind kan monteres herpå.

	Length, mm	630
	Product Diameter, mm	26
	Material	Anodised Aluminium
	Box Quantity, Pcs.	10

Aluminium telescopic handle click, 630 - 1120 mm, Ø26 mm, Black

Item Number: 290400

Aluminium telescopic handle click

	Length, mm	1560
	Product Diameter, mm	25
	Material	Wood, Polypropylene
	Box Quantity, Pcs.	10

Wooden Handle, Ø25 mm, 1560 mm, Black

Item Number: 292515552

Wooden handle suitable for use with any brush / squeegee within the Vikan Transport Range.

	Length, mm	1305
	Product Diameter, mm	32
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	5

Aluminium Telescopic handle, 1305 - 1810 mm, Ø32 mm, White

Item Number: 29255

This short extendable handle can be used for cleaning inside tanks that have small entry points (e.g. tanks with lids) and that are then deep or high. Also used where some extra height is required but where the 2975 extendable handle is too long.

	Length, mm	1050
	Product Diameter, mm	25
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	100

Aluminium Handle, Ø25 mm, 1050 mm,

Item Number: 2933

This handle will fit any product within the Vikan colour coded range. It is ideal for use with our tube brushes 538050x, 538063x, 538077x, 538090x, 5380103x when cleaning tubes and drains.



	Length, mm	160
	Product Diameter, mm	30
	Material	Polypropylene
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	121

Mini Handle, Ø, 160 mm,

Item Number: 2934

Mini handle can be used with any product requiring a small handle within the Vikan colour coded range. Ideal for use with tube cleaners for cleaning of machines or squeegees / table and floor scraper for cleaning tables.



	Length, mm	1310
	Product Diameter, mm	31
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Aluminium Handle, Ø31 mm, 1310 mm,

Item Number: 2935

Ergonomically designed handle improves the working position of the user with a comfortable grip, rounded top and hanger. Can be used with any product requiring a handle within the Vikan colour coded range. Do not use this handle with acid or chlorine.



	Length, mm	1505
	Product Diameter, mm	31
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	10
	Max. bars pressure	

Aluminium Handle, Ø31 mm, 1505 mm, Black

Item Number: 293752

Professional handle with insulating sleeve for a comfortable grip.

	Length, mm	1510
	Product Diameter, mm	31
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Aluminium Handle, Ø31 mm, 1510 mm,

Item Number: 2937

Ergonomically designed handle improves the working position of the user with a comfortable grip, rounded top and hanger. Can be used with any product requiring a handle within the Vikan colour coded range. Do not use this handle with acid or chlorine.



	Length, mm	1510
	Product Diameter, mm	31
	Material	Stainless Steel, Polypropylene
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	121

Stainless Steel Handle, Ø31 mm, 1510 mm,

Item Number: 2939

Ergonomically designed stainless steel handle. Can be used with any product requiring a handle within the Vikan colour coded range and can withstand tough use and is chemical resistant.




	Length, mm	1375
	Product Diameter, mm	29
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	4

Ergonomic Aluminium Handle, Ø29 mm, 1375 mm, Grey

Item Number: 295218

Vikan ergonomic handles serie with click fit for professional cleaning. It is characterised by its light weight, its insulated ergonomic grip, correctly dimensioned to the hand. They are robust and easy to clean. They have been developed in collaboration with Occupational Therapists for comfortable to hold. The hand support facilitates work on vertical and high surfaces.

	Length, mm	1500
	Product Diameter, mm	22
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	10

Aluminium handle, Ø22 mm, 1500 mm, Grey

Item Number: 295918


Vikan aluminium handle 1500 mm with thread for professional cleaning is robust and easy to clean.

	Length, mm	575
	Product Diameter, mm	29
	Material	
	Box Quantity, Pcs.	4

Short Telescopic Handle, 575 - 1390 mm, Ø29 mm, Grey

Item Number: 295610

Used with a 25cm mop frame and window mop to clean glass, stainless steel, ceramics and other high gloss vertical surfaces. Can also be used with table mop for horizontal surfaces, such as laminates and wood.

	Length, mm	1460
	Product Diameter, mm	25
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	10

Aluminium Handle, Ø25 mm, 1460 mm,

Item Number: 2959

Aluminium handle with colour coded grip. Can be used with any product within the Vikan colour coded range.


	Length, mm	1260
	Product Diameter, mm	25
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	10

Aluminium Handle, Ø25 mm, 1260 mm,

Item Number: 2958

Aluminium handle with colour coded grip. Can be used with any product within the Vikan colour coded range.



	Length, mm	1300
	Product Diameter, mm	34
	Material	Polypropylene, Glass reinforced
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Ultra Hygienic Handle, Ø34 mm, 1300 mm,

Item Number: 2960

The hygienic construction of the Ultra Hygienic Handle helps achieve a higher level of hygiene in food handling and production facilities.

The fully molded construction minimises the risk of cross contamination. The handle is made from food contact compliant materials and is easy to clean and dry.



	Length, mm	1150
	Product Diameter, mm	29
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	6

Aluminium Top Regulated Handle with click fit, 1150 - 1730 mm, Ø29 mm, Grey

Item Number: 296218

Top regulated telescopic handle has been designed to ensure optimum ergonomics. The length of the handle can be quickly and easily adjusted by pushing a button at the top. The easy adjustment to achieve the correct working height eases wear and tear on the users back.

	Length, mm	1080
	Product Diameter, mm	32
	Material	Anodised Aluminium, Polypropylene
	Max. bars pressure	6
	Box Quantity, Pcs.	5

Aluminium handle, waterfed, 1080 - 1600 mm, Ø32 mm, Black

Item Number: 297152

Professional telescopic water-fed handle with insulating sleeve for a comfortable grip with tapered hose connector. This handle can be used up to a pressure of 6 bar.

	Length, mm	1500
	Product Diameter, mm	34
	Material	Polypropylene, Glass reinforced
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Ultra Hygienic Handle, Ø34 mm, 1500 mm,

Item Number: 2962

The hygienic construction of the Ultra Hygienic Handle helps achieve a higher level of hygiene in food handling and production facilities.

The fully molded construction minimises the risk of cross contamination. The handle is made from food contact compliant materials and is easy to clean and dry.




	Length, mm	1060
	Product Diameter, mm	32
	Material	Anodised Aluminium, Polypropylene
	Max. bars pressure	6
	Box Quantity, Pcs.	5

Aluminium telescopic waterfed handle with click fit, 1060 - 1600 mm, Ø32 mm, Black

Item Number: 297152C

Telescopic ergonomic handle with water channel and 1/2" quick coupling, is made of aluminium with sturdy shockproof and grip-friendly plastic for comfortable and functional use. The telescopic feature gives the handle flexibility within a range of 100 - 160 cm. The handle can be used up to a pressure of 6 bar.

	Length, mm	1700
	Product Diameter, mm	34
	Material	Polypropylene, Glass reinforced
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Ultra Hygienic Handle, Ø34 mm, 1700 mm,

Item Number: 2964

The hygienic construction of the Ultra Hygienic Handle helps achieve a higher level of hygiene in food handling and production facilities.

The fully molded construction minimises the risk of cross contamination. The handle is made from food contact compliant materials and is easy to clean and dry.



	Length, mm	1060
	Product Diameter, mm	32
	Material	Anodised Aluminium, Polypropylene
	Max. bars pressure	6
	Box Quantity, Pcs.	5

Aluminium telescopic waterfed handle w/Q coupling, 1060 - 1600 mm, Ø32 mm, Black

Item Number: 297152Q

Professional telescopic water-fed handle with insulating sleeve for a comfortable grip with quick release hose connector. This handle can be used up to a pressure of 6 bar.

	Length, mm	1615
	Product Diameter, mm	32
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	5
	Max. bars pressure	6

Telescopic Waterfed Handle, 1615 - 2780 mm, Ø32 mm, White

Item Number: 29735

Waterfed telescopic handle with hose nozzle, can be easily adjusted to the required length. Ergonomically designed to improve the working position of the user with a comfortable grip. Can be used with any product requiring a waterfed handle. Max pressure 6 bar and max temperature 50 °C. Do not use this handle with acid or chlorine.



	Length, mm	1600
	Product Diameter, mm	31
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	5
	Max. bars pressure	6

Aluminium telescopic waterfed handle w/Q coupling, 1600 - 2840 mm, Ø31 mm, Black

Item Number: 297352Q

Professional telescopic water-fed handle with insulating sleeve for a comfortable grip with quick release hose connector. This handle can be used up to a pressure of 6 bar.

	Length, mm	1615
	Product Diameter, mm	31
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	5
	Max. bars pressure	6

Aluminium telescopic waterfed handle, 1615 - 2840 mm, Ø31 mm, Black

Item Number: 297352

Professional telescopic water-fed handle with insulating sleeve for a comfortable grip with tapered hose connector. This handle can be used up to a pressure of 6 bar.

	Length, mm	1600
	Product Diameter, mm	32
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	5
	Max. bars pressure	6

Aluminium Telescopic Waterfed Handle with metal coupling, 1600 - 2780 mm, Ø32 mm,

Item Number: 2973Q

Waterfed telescopic handle with quick release coupling, can be easily adjusted to the required length. Ergonomically designed to improve the working position of the user with a comfortable grip. Can be used with any product requiring a waterfed handle within the Vikan colour coded range. Max pressure 6 bar and max temperature 50 °C. Do not use this handle with acid or chlorine.



	Length, mm	1600
	Product Diameter, mm	31
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	5
	Max. bars pressure	6

Aluminium telescopic waterfed handle w/click fit, 1600 - 2840 mm, Ø31 mm, Black

Item Number: 297352C


Telescopic ergonomic handle with Click Couling and water channel is made of aluminium with sturdy shockproof and grip-friendly plastic for comfortable and functional use. Moreover, the telescopic feature ensures that the handle is always the right length for the user. The telescopic feature gives the handle flexibility within a range of 150 - 275 cm.

	Length, mm	1575
	Product Diameter, mm	32
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	5

Aluminium telescopic handle, 1575 - 2800 mm, Ø32 mm, Black

Item Number: 297552

Professional telescopic handle with insulating sleeve for a comfortable grip.

	Length, mm	1575
	Product Diameter, mm	32
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	121

Aluminium Telescopic handle, 1575 - 2780 mm, Ø32 mm,

Item Number: 2975

This telescopic handle can be easily adjusted to the required length making it suitable for cleaning walls and canopies. Ergonomically designed to improve the working position of the user with a comfortable grip. Can be used with any product requiring a handle within the Vikan colour coded range. Do not use this handle with acid or chlorine.




	Length, mm	1490
	Product Diameter, mm	29
	Material	Polyethylene, PVC
	Box Quantity, Pcs.	25

Aluminium telescopic handle w/click fit, 1490 - 4000 mm, Ø29 mm, Grey

Item Number: 297618

Vikan long telescopic handle 1,5-4 meters for professional cleaning is robust and easy to clean. The height of the telescopic handle is easy to adjust, facilitating the adoption of a correct working position by the user. The model with click is used together with Vikan's comprehensive program.

	Length, mm	1880
	Max. Length, mm	6000
	Material	Fibreglass, Polypropylene
	Box Quantity, Pcs.	1

Telescopic Handle, Fibre Glass, 1880 - 6000 mm, Ø34 mm, Grey

Item Number: 2977

Telescopic fibre glass handle, extends to 5.5m making it ideal for use in silos, for high level wall cleaning and also pipe work. Can be used with any product within the Vikan colour coded range.

	Length, mm	1925
	Max. Length, mm	6000
	Material	Fibreglass, Polypropylene
	Box Quantity, Pcs.	1

Telescopic Handle, Fibre Glass, 1925 - 6000 mm, Ø34 mm, Grey

Item Number: 2977Q

Telescopic fibre glass handle. Only to be used with the condensation squeegee 7716 only for the removal of condensation from ceilings and pipes.

	Length, mm	2195
	Max. Length, mm	5810
	Material	Fibreglass, Polypropylene
	Box Quantity, Pcs.	1

Telescopic Handle, Fibre Glass, 2195 - 5810 mm, Ø37 mm, Grey

Item Number: 2979

Solid and rigid 3-piece telescopic handle suitable when washing/scrubbing high wall surfaces.

	Length, mm	650
	Product Diameter, mm	31
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Aluminium Handle, Ø31 mm, 650 mm,

Item Number: 2981

Aluminium handle, ergonomically designed to improve the working position of the user with a comfortable grip, rounded top and hanger. Can be used for any tasks requiring a shorter handle such as cleaning conveyor belts, tables and small vats. Do not use this handle with acid or chlorine.



	Length, mm	1025
	Product Diameter, mm	31
	Material	Stainless Steel, Polypropylene
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	121

Stainless Steel Handle, Ø31 mm, 1025 mm,

Item Number: 2983

Stainless steel handle, suitable for cleaning where aggressive chemicals are used. Can be used with any product within the Vikan colour coded range.



	Length, mm	1500
	Product Diameter, mm	22
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	10

Aluminium Handle, Ø22 mm, 1500 mm,

Item Number: 2986

Lightweight, suitable for use with any Vikan product requiring a handle. Colour Coded to support your HACCP and colour zones.



	Length, mm	1565
	Product Diameter, mm	31
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	10
	Max. bars pressure	

Aluminium Handle, waterfed, Ø31 mm, 1565 mm, White

Item Number: 29915

Waterfed handle with quick release coupling. Ergonomically designed to improve the working position of the user with a comfortable grip. Can be used with any product requiring a waterfed handle within the Vikan colour coded range. Max pressure 6 bar and max temperature 50 °C. Do not use this handle with acid or chlorine.



	Length, mm	1565
	Product Diameter, mm	31
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	10
	Max. bars pressure	6

Aluminium Handle, waterfed, Ø31 mm, 1565 mm, Black

Item Number: 299152

Professional water-fed handle with insulating sleeve for a comfortable grip with tapered hose connector. This handle can be used up to a pressure of 6 bar.

	Length, mm	1545
	Product Diameter, mm	31
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	10
	Max. bars pressure	6

Aluminium Handle, waterfed, Ø31 mm, 1545 mm, Black

Item Number: 299152Q

Professional water-fed handle with insulating sleeve for a comfortable grip with quick release hose connector. This handle can be used up to a pressure of 6 bar.

	Length, mm	1540
	Product Diameter, mm	31
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	10
	Max. bars pressure	

Aluminium Handle, waterfed, Ø31 mm, 1540 mm,

Item Number: 2991Q

Waterfed handle with quick release coupling. Ergonomically designed to improve the working position of the user with a comfortable grip. Can be used with any product requiring a waterfed handle within the Vikan colour coded range including condensation squeegee 7716x. Max pressure 6 bar and max temperature 50 °C. Do not use this handle with acid or chlorine.



	Length, mm	1025
	Product Diameter, mm	31
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	10
	Max. bars pressure	6

Aluminium Handle, waterfed, Ø31 mm, 1025 mm, Black

Item Number: 299252

Professional water-fed handle with insulating sleeve for a comfortable grip with tapered hose connector. This handle can be used up to a pressure of 6 bar.

	Length, mm	1575
	Product Diameter, mm	31
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	10
	Max. bars pressure	6

Aluminium Handle, waterfed, Q-coupling + on/off, Ø31 mm, 1575 mm,

Item Number: 299552Q

Professional water-fed handle with insulated sleeve providing a comfortable grip. With on/off switch. This handle can be used up to a pressure of 6 bar.

	Length, mm	1010
	Product Diameter, mm	31
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	10
	Max. bars pressure	6

Aluminium Handle, waterfed, Q-coupling, Ø31 mm, 1010 mm, Black

Item Number: 299252Q

Professional water-fed handle with insulating sleeve for a comfortable grip with quick release hose connector. This handle can be used up to a pressure of 6 bar.

	Length, mm	85
	Product Diameter, mm	25
	Material	Polypropylene
	Box Quantity, Pcs.	30
	Max cleaning temperature (Autoclave), °Celsius	121

Adaptor, Ø25 mm, 85 mm,

Item Number: 2995

This US male adaptor/Vikan female adaptor allows products with US female thread to be used with a Vikan handle.

	Length, mm	155
	Product Diameter, mm	22
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	10

Adapter, from thread to click, Ø22 mm, 155 mm,

Item Number: 2994

Adapter 22 mm, from thread to click

5



	Length, mm	1935
	Product Diameter, mm	31
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	10
	Max. bars pressure	6

Aluminium Handle, waterfed, Ø31 mm, 1935 mm, Black

Item Number: 299752

Professional water-fed handle with insulating sleeve for a comfortable grip with tapered hose connector. This handle can be used up to a pressure of 6 bar.

	Length, mm	1920
	Product Diameter, mm	31
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	10
	Max. bars pressure	6

Aluminium Handle, waterfed, Q-coupling, Ø31 mm, 1920 mm, Black

Item Number: 299752Q

Professional water-fed handle with insulating sleeve for a comfortable grip with quick release hose connector. This handle can be used up to a pressure of 6 bar.

	Length, mm	78
	Product Diameter, mm	26
	Material	Polypropylene
	Box Quantity, Pcs.	10

Threaded Adaptor for click handles, Ø26 mm, 78 mm, Black

Item Number: 380900


Threaded adaptor for click fit handles.

	Length, mm	140
	Filament Description	
	Material	Polypropylene, Stainless Steel
	Box Quantity, Pcs.	50

Angle Thread, 140 mm,

Item Number: 2998

Angle device, German tread, black

	Length, mm	785
	Product Diameter, mm	5
	Material	Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Flexible extension handle for 53515, Ø5 mm, 785 mm

Item Number: 5346

Extension rod can be added infinitely to flexible rod code 53515 to enable internal cleaning of long feeder pipes. For use with 5354, 5356, 5365 or 5368 tube cleaners.

9


	Length, mm	265
	Product Diameter, mm	
	Material	Polyamide
	Box Quantity, Pcs.	1

Ergobend, 265 mm, Black

Item Number: 380600

Ergobend, black



	Length, mm	755
	Product Diameter, mm	5
	Material	Stainless Steel, Polypropylene
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Flexible Handle, stainless steel, Ø5 mm, 755 mm, White

Item Number: 53515

Flexible rod designed for use with tube cleaner heads (5354, 5356, 5365 or 5368). Connected by means of a screw-in thread and can be extended by 750 mm increments by attaching item no. 5346. Its flexibility allows it to follow curved pipes. Examples of use; sight-glasses on large tanks and hoses used for transferring liquids from one tank to another.



	Length, mm	1505
	Product Diameter, mm	6
	Material	Polypropylene, Polyamide, Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Flexible handle, Nylon, Ø6 mm, 1505 mm,
White

Item Number: 53525

Using tube cleaners 5354, 5356, 5365, 5368 or 53915, this flexible Nylon Handle facilitates cleaning inside long curved feeder pipes.



Wall Brackets & Buckets



	Length, mm	240
	Material	Polypropylene
	Box Quantity, Pcs.	1
	Max cleaning temperature (Autoclave), °Celsius	100

Wall Bracket, 240 mm,

Item Number: 0615

This Wall Bracket has an ultra hygienic design. It has a smooth, easy to clean surface without holes or crevices to harbour dirt and debris. Storing cleaning tools on Wall Brackets increases the durability of the tools.



	Length, mm	85
	Material	Stainless Steel
	Box Quantity, Pcs.	1
	Max cleaning temperature (Autoclave), °Celsius	121

Wall Bracket for 1 product, 85 mm,

Item Number: 0616

Stainless steel wall bracket has an ultra hygienic design. To ensure easy cleaning it is mounted with a distance to the wall making it possible to clean between the wall bracket and the wall. Storing cleaning tools on wall brackets increases the durability of the tools.



	Length, mm	320
	Material	Stainless Steel
	Box Quantity, Pcs.	1
	Max cleaning temperature (Autoclave), °Celsius	121

Wall Bracket for 4 Products, 320 mm,

Item Number: 0617

Stainless steel wall bracket has an ultra hygienic design. To ensure easy cleaning it is mounted with a distance to the wall making it possible to clean between the wall bracket and the wall. Storing cleaning tools on wall brackets increases the durability of the tools.



	Length, mm	470
	Material	Stainless Steel
	Box Quantity, Pcs.	1
	Max cleaning temperature (Autoclave), °Celsius	121

Wall Bracket for 6 Products, 470 mm,

Item Number: 0618

Stainless steel wall bracket has an ultra hygienic design. To ensure easy cleaning it is mounted with a distance to the wall making it possible to clean between the wall bracket and the wall. Storing cleaning tools on wall brackets increases the durability of the tools.



	Length, mm	140
	Material	Polyamide
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	121

Hook x 4 for 1017 and 1018, 140 mm,

Item Number: 1016

4 hooks and 8 securing pins for wall bracket, 1017x and 1018x.



	Length, mm	160
	Material	Polypropylene, TPE Rubber
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	121

Wall Bracket 1-3 Products, 160 mm,

Item Number: 1017

Storage of cleaning equipment ensures good hygiene practice and extends the shelf life of equipment. Fully colour coded, you can extend the bracket by adding one more next to the first bracket. You can mix rubber clips and hooks. Easy to clean, by removing the hooks and rubber clips they can be cleaned in an autoclave.



	Length, mm	395
	Material	Polypropylene, TPE Rubber
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	121

Wall Bracket 4-6 Products, 395 mm,

Item Number: 1018

Storage of cleaning equipment ensures good hygiene practice and extends the shelf life of equipment. Fully colour coded, you can extend the bracket by adding one more next to the first bracket. You can mix rubber clips and hooks. Easy to clean, by removing the hooks and rubber clips they can be cleaned in an autoclave.



	Length, mm	120
	Material	TPE Rubber
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	121

Rubber Clip x 4 for 1017 and 1018, 120 mm,

Item Number: 1019

4 hooks and 8 securing pins for wall bracket, 1017x and 1018x.



	Length, mm	370
	Material	Stainless Steel
	Box Quantity, Pcs.	35

Bracket for bucket, 5686 and 5688, 370 mm,

Item Number: 16200

The bracket fits Vikan's 12 Litre and 6 Litre buckets. This flexible bracket enables the bucket to hang when filled with ingredients or water - or to hang with the bottom up after it has been cleaned for easy drying. There is a small hook on the bracket for storing the bucket lid or a brush to ensure optimum levels of hygiene.



	Length, mm	320
	Material	Polypropylene
	Box Quantity, Pcs.	10

Mop Bucket, 15 Litre(s), Grey

Item Number: 375018

Mop bucket 15 l, grey

	Length, mm	265
	Material	Polypropylene
	Box Quantity, Pcs.	10

Wringer f/Mop Bucket, 375018, Yellow

Item Number: 376016

Wringer for mop bucket, yellow

	Length, mm	325
	Volume, Litre(s)	12
	Material	Polypropylene,Stainless Steel
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	121

Hygiene Bucket, 12 Litre(s),

Item Number: 5686

This award winning bucket is ideal for transporting cleaning chemicals as well as hot or cold ingredients. It has a drip-free spout, hand grip that is raised from the base, sturdy stainless steel handle and is calibrated for a variety of measuring units.

The flat side prevents spillage and it has its own wall bracket, 16200 for storage.



	Length, mm	365
	Material	Polypropylene
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	121

Lid for Bucket 5686,

Item Number: 5687

Lid for Vikan Hygiene Bucket 5686. The bucket lid is useful for preventing spillage of it's contents. It has a clip system for securing the lid lightly.



	Length, mm	260
	Volume, Litre(s)	6
	Material	Polypropylene,Stainless Steel
	Box Quantity, Pcs.	5

Bucket, 6 Litre(s),

Item Number: 5688

This durable 6 litres bucket is suitable for cleaning or storage of ingredients and food stuff. The bucket has a wide drip-free spout, sturdy stainless steel hanger, hand grip at the bottom that is raised from the base and calibrated for a variety of measuring units. The flat side prevents spillage and it has its own wall bracket, 16200 for storage.



	Length, mm	295
	Volume, Litre(s)	
	Material	Polypropylene
	Box Quantity, Pcs.	5

Lid f/Bucket 5688,

Item Number: 5689

Lid for Vikan Hygiene Bucket 5688. The lid prevents foreign objects from falling into the bucket when it is used for storing ingredients etc. The rim in the middle of the lid ensures that the bucket is easy to stack when the lid is on.



	Length, mm	380
	Volume, Litre(s)	20
	Material	Polypropylene,Stainless Steel
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	121

Hygiene Bucket, 20 Litre(s),

Item Number: 5692

The 20 Litre Bucket is an ideal "mixing station", where you can mix ingredients stored in smaller Vikan buckets or in multiple 20 Litre Buckets. The bucket is perfect for solid or liquid ingredients, and its optimised size and shape make it large enough to meet all your mixing needs, but small enough for safe lifting and transport. Features like the bottom handle and a rounded rim and lip also facilitate



	Length, mm	365
	Material	Polypropylene
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	121

Lid for Bucket 5692

Item Number: 5693

Lid for bucket 5692x. The bucket lid is useful for preventing spillage of it's contents as well as preventing the content from being contaminated. The middle of the lid is raised to enable the user to stack 2 buckets on top of each other.



	Product Diameter, mm	26
	Material	Silicone rubber
	Box Quantity, Pcs.	1

Colour Coding Rubber Band x 5, 26 mm,

Item Number: 9801

Do you need to secondary colour code your cleaning equipment?
 Secondary colour coding of cleaning equipment helps to distinguish it for use on different lines. The bands fits brush handles, broom and squeegee handles.



	Product Diameter, mm	40
	Material	Silicone rubber
	Box Quantity, Pcs.	1

Colour Coding Rubber Band x 5, 40 mm,

Item Number: 9802

Do you need to secondary colour code your cleaning equipment?
 The Vikan rubber bands helps you to make hygienic solution to secondary colour coding. The bands fits shovels and vaccum cleaner nozzles and allows colour segregation of these.





	Length, mm	55
	Material	Polypropylene
	Box Quantity, Pcs.	5

Kit for metal detection

Item Number: 111199

Test kit to be used to check the detectability of Vikan's metal detectable tools.



	Length, mm	1140
	Material	Polypropylene, Anodised Aluminium
	Box Quantity, Pcs.	1
	Shovel Blade Size, L x W x H, mm	380 x 340 x 90
	Max cleaning temperature (Autoclave), °Celsius	121

Ergonomic shovel, 380 x 340 x 90 mm, 1140 mm,

Item Number: 5600

This shovel is suitable for moving large amounts of food waste or food ingredients. Ergonomically designed to improve the working position of the user, shovels are stable and ideal when working on/from the floor.



	Length, mm	1310
	Material	Polypropylene, Anodised Aluminium
	Box Quantity, Pcs.	1
	Shovel Blade Size, L x W x H, mm	380 x 340 x 90
	Max cleaning temperature (Autoclave), °Celsius	121

Ergonomic shovel, 380 x 340 x 90 mm, 1310 mm,

Item Number: 5601

This shovel is suitable for moving large amounts of food waste or food ingredients. Ergonomically designed to improve the working position of the user, shovels are stable and ideal when working on/from the floor.



	Length, mm	1145
	Material	Polypropylene
	Box Quantity, Pcs.	1
	Shovel Blade Size, L x W x H, mm	380 x 340 x 90
	Max cleaning temperature (Autoclave), °Celsius	121

Ergonomic shovel with drain holes, 380 x 340 x 90 mm, 1145 mm, White

Item Number: 56035

The holes enable the water/liquid to drain quickly from the food products. Suitable for all industries.



	Length, mm	1305
	Material	Polypropylene
	Box Quantity, Pcs.	1
	Shovel Blade Size, L x W x H, mm	380 x 340 x 90
	Max cleaning temperature (Autoclave), °Celsius	121

Ergonomic shovel with drain holes, 380 x 340 x 90 mm, 1305 mm, Black

Item Number: 56049

The holes enable the water/liquid to drain quickly from the food products. Suitable for all industries.



	Length, mm	1110
	Material	Polypropylene, Anodised Aluminium
	Box Quantity, Pcs.	1
	Shovel Blade Size, L x W x H, mm	340 x 270 x 75
	Max cleaning temperature (Autoclave), °Celsius	121

Ergonomic shovel, 340 x 270 x 75 mm, 1110 mm,

Item Number: 5610

This shovel is suitable for moving large amounts of food waste or food ingredients. Ergonomically designed to improve the working position of the user, shovels are stable and ideal when working on/from the floor.



	Length, mm	1280
	Material	Polypropylene, Anodised Aluminium
	Box Quantity, Pcs.	1
	Shovel Blade Size, L x W x H, mm	340 x 270 x 75
	Max cleaning temperature (Autoclave), °Celsius	121

Ergonomic shovel, 340 x 270 x 75 mm, 1280 mm,

Item Number: 5611

This shovel is suitable for moving large amounts of food waste or food ingredients. Ergonomically designed to improve the working position of the user, shovels are stable and ideal when working on/from the floor.



	Length, mm	951
	Material	Polypropylene, Anodised Aluminium
	Box Quantity, Pcs.	1
	Shovel Blade Size, L x W x H, mm	340 x 270 x 75
	Max cleaning temperature (Autoclave), °Celsius	

Shovel, 340 x 270 x 75 mm, 951 mm,

Item Number: 561552

Heavy duty polypropylene shovel, can be used as a snow shovel or in line with ADR regulations for picking up spillages.

	Length, mm	1035
	Material	Polypropylene
	Box Quantity, Pcs.	5
	Shovel Blade Size, L x W x H, mm	379 x 345 x 90
	Max cleaning temperature (Autoclave), °Celsius	121

One Piece Shovel, D Grip, 379 x 345 x 90 mm, 1035 mm,

Item Number: 5623

Lightweight and durable shovel. Its one piece construction eliminates areas where bacteria can be harboured. Smooth surface makes it extremely easy to clean, ideal for use in food production areas for moving food ingredients or large quantities of food waste.



	Length, mm	1040
	Material	Polypropylene
	Box Quantity, Pcs.	5
	Shovel Blade Size, L x W x H, mm	327 x 271 x 50
	Max cleaning temperature (Autoclave), °Celsius	121

Shovel, Metal Detectable, D Grip, 327 x 271 x 50 mm, 1040 mm, Dark blue

Item Number: 562599

Lightweight and durable shovel. It's one piece construction eliminates areas where bacteria can be harboured. Smooth surface makes it extremely easy to clean, ideal for moving food ingredients or large quantities of food waste. Can be used during production on food-contact surfaces as it can be traced by a metal detector. Can be tested using test kit, item no. 11199.



	Length, mm	1040
	Material	Polypropylene
	Box Quantity, Pcs.	5
	Shovel Blade Size, L x W x H, mm	327 x 271 x 50
	Max cleaning temperature (Autoclave), °Celsius	121

One Piece Shovel, D Grip, 327 x 271 x 50 mm, 1040 mm,

Item Number: 5625

Lightweight and durable shovel. Its one piece construction eliminates areas where bacteria can be harboured. Smooth surface makes it extremely easy to clean, ideal for use in food production areas for moving food ingredients or large quantities of food waste.



	Length, mm	1035
	Material	Polypropylene
	Box Quantity, Pcs.	5
	Shovel Blade Size, L x W x H, mm	327 x 271 x 50
	Max cleaning temperature (Autoclave), °Celsius	121

One Piece Shovel, T Grip, 327 x 271 x 50 mm, 1035 mm,

Item Number: 5631

Lightweight and durable shovel. Its one piece construction eliminates areas where bacteria can be harboured. Smooth surface makes it extremely easy to clean, ideal for use in food production areas for moving food ingredients or large quantities of food waste.



	Length, mm	160
	Volume, Litre(s)	2
	Material	Polypropylene
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Hand Scoop, Metal Detectable, 2 Litre(s), Dark blue

Item Number: 567099

Ergonomically designed metal detectable hand scoop (can be tested using test kit, item no. 11199) is lightweight and durable. Its one piece construction eliminates areas where bacteria can be harboured. Smooth surface makes it extremely easy to clean, ideal for use in food production areas for moving food ingredients.



	Length, mm	160
	Volume, Litre(s)	2
	Material	Polypropylene
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Hand Scoop, 2 Litre(s),

Item Number: 5670

Ergonomically designed hand scoop is lightweight and durable. Its one piece construction eliminates areas where bacteria can be harboured. Smooth surface makes it extremely easy to clean, ideal for use in food production areas for moving food ingredients.



	Length, mm	550
	Material	Polypropylene
	Box Quantity, Pcs.	12
	Shovel Blade Size, L x W x H, mm	327 x 271 x 50
	Max cleaning temperature (Autoclave), °Celsius	121

Hand shovel, Metal Detectable, 327 x 271 x 50 mm, 550 mm, Dark blue

Item Number: 567399

Lightweight and durable metal detectable hand shovel (can be tested using test kit, item no. 11111). Its one piece construction eliminates areas where bacteria can be harboured. Smooth surface makes it extremely easy to clean, ideal for use in food production areas for moving food ingredients or large quantities of food waste.



	Length, mm	550
	Material	Polypropylene
	Box Quantity, Pcs.	12
	Shovel Blade Size, L x W x H, mm	327 x 271 x 50
	Max cleaning temperature (Autoclave), °Celsius	121

Hand shovel, 327 x 271 x 50 mm, 550 mm,

Item Number: 5673

Lightweight and durable hand shovel. Its one piece construction eliminates areas where bacteria can be harboured. Smooth surface makes it extremely easy to clean, ideal for use in food production areas for moving food ingredients or large quantities of food waste.



	Length, mm	340
	Volume, Litre(s)	1
	Material	Polypropylene
	Box Quantity, Pcs.	12
	Max cleaning temperature (Autoclave), °Celsius	121

Hand Scoop, Metal Detectable, 1 Litre(s), Dark blue

Item Number: 567599

Ergonomically designed metal detectable hand scoop (can be tested using test kit, item no. 11199) is lightweight and durable. Its one piece construction eliminates areas where bacteria can be harboured. Smooth surface makes it extremely easy to clean, ideal for use in food production areas for moving food ingredients.



	Length, mm	340
	Volume, Litre(s)	1
	Material	Polypropylene
	Box Quantity, Pcs.	12
	Max cleaning temperature (Autoclave), °Celsius	121

Hand Scoop, 1 Litre(s),

Item Number: 5675

Ergonomically designed hand scoop is lightweight and durable. Its one piece construction eliminates areas where bacteria can be harboured. Smooth surface makes it extremely easy to clean, ideal for use in food production areas for moving food ingredients.



	Length, mm	300
	Volume, Litre(s)	0,5
	Material	Polypropylene
	Box Quantity, Pcs.	15
	Max cleaning temperature (Autoclave), °Celsius	121

Hand Scoop, Metal Detectable, 0.5 Litre(s),
Dark blue

Item Number: 567799

Ergonomically designed metal detectable hand scoop (can be tested using test kit, item no. 11199) is lightweight and durable. Its one piece construction eliminates areas where bacteria can be harboured. Smooth surface makes it extremely easy to clean, ideal for use in food production areas for moving food ingredients.



	Length, mm	300
	Volume, Litre(s)	0,5
	Material	Polypropylene
	Box Quantity, Pcs.	15
	Max cleaning temperature (Autoclave), °Celsius	121

Hand Scoop, 0.5 Litre(s),

Item Number: 5677

Ergonomically designed hand scoop is lightweight and durable. Its one piece construction eliminates areas where bacteria can be harboured. Smooth surface makes it extremely easy to clean, ideal for use in food production areas for moving food ingredients.



	Length, mm	335
	Volume, Litre(s)	2
	Material	Polypropylene
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Round Scoop, 2 Litre(s),

Item Number: 5680

Ergonomically designed round hand scoop is lightweight and durable. Its one piece construction eliminates areas where bacteria can be harboured. Smooth surface makes it extremely easy to clean, ideal for use in food production areas for moving food ingredients.



	Length, mm	325
	Volume, Litre(s)	1
	Material	Polypropylene
	Box Quantity, Pcs.	12
	Max cleaning temperature (Autoclave), °Celsius	121

Round Scoop, 1 Litre(s),

Item Number: 5685

Ergonomically designed round hand scoop is lightweight and durable. Its one piece construction eliminates areas where bacteria can be harboured. Smooth surface makes it extremely easy to clean, ideal for use in food production areas for moving food ingredients.



	Length, mm	1275
	Material	Polypropylene
	Box Quantity, Pcs.	1
	Max cleaning temperature (Autoclave), °Celsius	121

Hygiene Fork, 1275 mm, White

Item Number: 56905

The hygiene fork is mostly used to empty out fresh produce from large containers, e.g. during grape harvest for wine making. The handle is re-inforced with an inner aluminium tube. It is stepped in two places which helps to prevent back injuries. The neck joint has been strengthened in order to withstand heavy duty use.



	Length, mm	205
	Material	Polypropylene
	Box Quantity, Pcs.	1
	Max cleaning temperature (Autoclave), °Celsius	121

Hygiene Rake, 205 mm, White

Item Number: 56915

The hygiene fork is mostly used to empty out fresh produce from large containers, e.g. during grape harvest for wine making to remove residual grapes from tipper. It is attached to a handle; either standard or telescopic.



	Length, mm	890
	Product Diameter, mm	31
	Material	Polyamide
	Box Quantity, Pcs.	1
	Max cleaning temperature (Autoclave), °Celsius	170

Small mixer, Ø31 mm, 890 mm, White

Item Number: 70075

Suitable for stirring food ingredients in large pots and vats. Heat resistant to 170oC. Only available in white.



	Length, mm	1190
	Product Diameter, mm	31
	Material	Polyamide
	Box Quantity, Pcs.	1
	Max cleaning temperature (Autoclave), °Celsius	170

Mixer, Ø31 mm, 1190 mm, White

Item Number: 70095

Suitable for stirring food ingredients in large pots and vats. Heat resistant to 170oC. Only available in white.



	Length, mm	1200
	Product Diameter, mm	31
	Material	Polypropylene
	Box Quantity, Pcs.	1
	Max cleaning temperature (Autoclave), °Celsius	121

Mixer, Ø31 mm, 1200 mm, White

Item Number: 70105

Suitable for stirring food ingredients in large pots and vats. Heat resistant to 100°C. Only available in white.



	Length, mm	1200
	Product Diameter, mm	31
	Material	Polypropylene
	Box Quantity, Pcs.	1
	Max cleaning temperature (Autoclave), °Celsius	121

Mixer with Holes, Metal Detectable, Ø31 mm, 1200 mm, Dark blue

Item Number: 701299

Fully moulded metal detectable mixer (can be tested using test kit, item no. 11111), small blade with holes and a long handle. Suitable for stirring food ingredients in large pots and vats, the holes allow the ingredients to pass through the stirrer blade and ease stirring.



	Length, mm	1200
	Product Diameter, mm	31
	Material	Polypropylene
	Box Quantity, Pcs.	1
	Max cleaning temperature (Autoclave), °Celsius	100

Mixer with Holes, Ø31 mm, 1200 mm,

Item Number: 7012

Fully moulded mixer, small blade with holes and a long handle. Suitable for stirring food ingredients in large pots and vats, the holes allow the ingredients to pass through the stirrer blade and ease stirring. Heat resistant to 80oC.



Foaming Equipment & Water Guns

Water gun

Foam sprayer



	Box Quantity, Pcs.	10
	Max. bars pressure	25
	Material	Chromium-plated brass

Tap coupling, male with reducer, 1/2"

Item Number: 0700

For water tap with 1/2", 3/4" or M22 mm inside thread

	Box Quantity, Pcs.	10
	Max. bars pressure	25
	Material	Chromium-plated brass

Hose Coupling, 1/2"

Item Number: 0701

1/2" hose coupling fits between 1/2" hose and quick coupling, 0700.

	Box Quantity, Pcs.	1
	Max. bars pressure	25
	Material	Chromium-plated brass

Automatic Watertight Coupling, 1/2"

Item Number: 0703

1/2" automatic watertight coupling with water stop when disconnected from quick coupling.

	Box Quantity, Pcs.	1
	Max. bars pressure	25
	Material	Chromium-plated brass

Male Coupling, 1/2"

Item Number: 0705

To be used for connecting two 1/2" hoses.

	Box Quantity, Pcs.	10
	Max. bars pressure	25
	Material	Chromium-plated brass

Hose coupling with swivel joint, 1/2"

Item Number: 070652

1/2" coupling with pivot joint for 1/2" hose

	Box Quantity, Pcs.	10
	Max. bars pressure	25
	Material	Chromium-plated brass

Adapter Gardena/Hozelock/Quick coupling, 1/2"

Item Number: 070752

Adaptor 1/2" quick coupling with 1/2" Gardena/Hozelock connection.

	Box Quantity, Pcs.	10
	Max. bars pressure	25
	Material	Chromium-plated brass

Quick Fit Hose Coupling with 1/2" thread for 9324x, 1/2"

Item Number: 0712

1/2" quick coupling. Fits water gun 0711.

	Box Quantity, Pcs.	10
	Max. bars pressure	25
	Material	Chromium-plated brass

Hose Coupler, 1/2" & 3/4"

Item Number: 0708

1/2" and 3/4" hose coupling. The coupling can be screwed directly onto Water Gun 9324x.

	Box Quantity, Pcs.	10
	Max. bars pressure	25
	Material	Chromium-plated brass

Hose coupling 1/2" for 3/4" hose

Item Number: 071352

1/2" hose coupling for 3/4" hose

	Box Quantity, Pcs.	10
	Max. bars pressure	25
	Material	Chromium-plated brass

Adapter Gardena with thread, 1/2"

Item Number: 070952

Adapter w/thread for 1/2" Gardena/Hozelock coupling.

	Box Quantity, Pcs.	10
	Max. bars pressure	25
	Material	Chromium-plated brass

Euro profile/gardena nipple with double hose tail,

Item Number: 071452

Gardena/Hozelock coupling with 1/2" and 3/4" hose tail.

	Box Quantity, Pcs.	10
	Max. bars pressure	25
	Material	Chromium-plated brass

Quick Fit Hose Coupling with 1/2" thread for 9324x, 3/4"

Item Number: 0715

3/4" Quick coupling with 1/2" thread. Fits water gun 0711.

	Box Quantity, Pcs.	1
	Max. bars pressure	25
	Material	Chromium-plated brass

Hose coupling, 3/4"

Item Number: 0716

3/4" hose coupling.

	Box Quantity, Pcs.	1
	Volume, Litre(s)	2,5
	Min. Bars pressure, Bar	2
	Max. bars pressure	10
	Material	Brass,Orgalloy,HDPE,TSGZ 15
	Max. usage temperature (for food contact), °Celsius	60

Ergo foam sprayer, incl. jet spray, 1/2", 2.5 Litre(s),

Item Number: 9301

Cleaning in sanitary and small processing areas. Foam is applied with the foam sprayer at normal water pressure. Always correct dosage ratio at 0.4-10%. Identification of chemicals facilitated by the colour-coding of the container. We recommend using Safeone, 9340 as protection against chemical reflux in potable water supplies and approved according to EN 1717 - substance class 3.



	Box Quantity, Pcs.	1
	Volume, Litre(s)	1,4
	Min. Bars pressure, Bar	2
	Max. bars pressure	10
	Material	Brass,Orgalloy,HDPE,TSGZ 15
	Max. usage temperature (for food contact), °Celsius	40

Foam sprayer incl. jet spray, 1/2", 1.4 Litre(s),

Item Number: 9305

Cleaning in sanitary and small processing areas. Foam is applied with the foam sprayer at normal water pressure. Always correct dosage ratio at 0.4-10%. Identification of chemicals facilitated by the colour-coding of the container. We recommend using Safeone, 9340 as protection against chemical reflux in potable water supplies and approved according to EN 1717 - substance class 3.



	Box Quantity, Pcs.	4
	Max. bars pressure	10
	Material	HDPE

Spare container, 1.4 Litre(s),

Item Number: 9310

Sparte container for foam sprayer, 9301x and 9305x.



	Box Quantity, Pcs.	1
	Max. bars pressure	10
	Material	HDPE

Spare container, 2.5 Litre(s),

Item Number: 9311

Sparte container for foam sprayer, 9301x and 9305x.



	Box Quantity, Pcs.	1
	Max. bars pressure	10
	Material	Chromium-plated brass,PVC

Ergo injector with suction hose, 1/2 ", Black

Item Number: 93139

Ergonomic handle with foam injector for foam cleaning. Water and chemicals are always mixed in correct dosage ratio 0.15 - 10% and are foamed onto surfaces. Fits both large and small containers. Suction hose and filter provided.

	Box Quantity, Pcs.	1
	Material	Vinyl

Plastic lid for container, Black

Item Number: 93189

Protection against chemical evaporation when the container is not in use. If the container tips over, this will also provide protection against chemical spillage.

	Box Quantity, Pcs.	1
	Max. bars pressure	10
	Material	Chromium-plated brass,PVC

Injector with suction hose, Black

Item Number: 93149

Foam injector for foam cleaning. Water and chemicals are always mixed in correct dosage ratio 0.40 - 10% and are foamed on the surfaces. Fits both large and small containers. Suction hose and filter provided.

	Box Quantity, Pcs.	4
	Max. bars pressure	6
	Material	Orgalloy,Chromium-plated brass

Combi watergun for foam sprayer, Black

Item Number: 93209

For use in connection with foam cleaning to be mounted with nozzle. Functional design with continuously variable water supply. Wheel dresser equipped with closing and opening device. Connected with 0.5 inch clutch housing.

	Box Quantity, Pcs.	1
	Max. bars pressure	10
	Material	PVC

Suction hose for injector, 93139 & 93149, White

Item Number: 93175

Suction hose with filter for foam injector and spray injector.

	Box Quantity, Pcs.	1
	Max. bars pressure	12
	Material	Polyamide,Polypropylene,Chromium-plated brass

Ergonomic Watergun for Foam Sprayer, Black

Item Number: 93219

For use in connection with foam cleaning to be mounted with nozzle. Ergonomically designed hot water pistol with thermal protection of the handle. The wheel dresser is equipped with a protection device against activation and can be locked. Made of shock resistant composite material. Connected with 0.5 inch clutch housing.

	Box Quantity, Pcs.	1
	Max. bars pressure	6
	Material	Orgalloy,Chromium-plated brass
	Max. usage temperature (for food contact), °Celsius	

Spraying gun, Black

Item Number: 93229

The water gun is used for cold water flushing and cleaning. Adjustable nozzle for focussed jet or full spread. Steplessly variable water supply. Wheel dresser equipped with closing and opening device and connected to 1/2" clutch housing.

	Box Quantity, Pcs.	1
	Max. bars pressure	12
	Couplings Size, "	1/2
	Material	PVC,Chromium-plated brass
	Max. usage temperature (for food contact), °Celsius	40

Cold water hose, 1/2", 15000 , White

Item Number: 93325

For cleaning where cold water is used at a maximum of 40° C. 1/2" hose ready for use. 1/2" clutch housing connected in both ends of the hose. Nipple for water tap provided for 1/2", 3/4" and M22x1 screw thread types.



	Box Quantity, Pcs.	1
	Max. bars pressure	24
	Material	Brass,EPDM rubber,Stainless Steel
	Max. usage temperature (for food contact), °Celsius	

Heavy Duty Water Gun,

Item Number: 9324

Suitable for cleaning floors and machinery including rinsing off work surfaces and walls after chemical foaming. Squeezing the rubber insulated trigger determines the jet pattern. The water jet can also be adjusted using the screw at the end of gun. The arrow on the gun shows the water spray direction. Use 0712, 1/2" or 0715, 3/4" hose nipples to be screwed into the bottom of the gun.



	Box Quantity, Pcs.	1
	Max. bars pressure	20
	Couplings Size, "	1/2
	Material	PVC,Chromium-plated brass
	Max. usage temperature (for food contact), °Celsius	70

Hot Water Hose, 1/2", 10000 , Blue

Item Number: 93353

For cleaning where water is used at a maximum of 70° C. 1/2" clutch housing connected in both ends of the hose. Nipple for water tap provided for 1/2" inch, 3/4" and M22x1 screw thread types.



	Box Quantity, Pcs.	1
	Max. bars pressure	12
	Couplings Size, "	1/2
	Material	PVC,Chromium-plated brass
	Max. usage temperature (for food contact), °Celsius	40

Cold water hose, 1/2", 10000 , White

Item Number: 93315

For cleaning where cold water is used at a maximum of 40° C. 1/2" hose ready for use. 1/2" clutch housing connected in both ends of the hose. Nipple for water tap provided for 1/2", 3/4" and M22x1 screw thread types.

	Box Quantity, Pcs.	1
	Max. bars pressure	20
	Couplings Size, "	1/2
	Material	PVC,Chromium-plated brass
	Max. usage temperature (for food contact), °Celsius	70

Hot Water Hose, 1/2", 15000 , Blue

Item Number: 93363

For cleaning where water is used at a maximum of 70° C. 1/2" clutch housing connected in both ends of the hose. Nipple for water tap provided for 1/2" inch, 3/4" and M22x1 screw thread types.





Box Quantity, Pcs.	1
Max. bars pressure	20
Couplings Size, "	1/2
Material	PVC, Chromium-plated brass
Max. usage temperature (for food contact), °Celsius	70

Hot Water Hose, 1/2", 20000 , Blue

Item Number: 93373

For cleaning where water is used at a maximum of 70° C. 1/2" clutch housing connected in both ends of the hose. Nipple for water tap provided for 1/2" inch, 3/4" and M22x1 screw thread types.



Box Quantity, Pcs.	1
Max. bars pressure	25
Material	Chromium-plated brass

SafeOne, back flows prevention, 1/2"

Item Number: 9340

Should be used with foam sprayers, 9300, 9301, 9305 and 9306 as protection against chemical backflow prevention into the watersupply system.



Box Quantity, Pcs.	1
Material	Stainless Steel

Stainless steel suspension for foam sprayer, 9301x/9305x

Item Number: 9348

Hose and foam sprayer suspension for wall mounting. Max. 20 meter hose.



Box Quantity, Pcs.	1
Max. bars pressure	
Material	Polypropylene

Set of nozzles

Item Number: 9378

Nozzle kit for foam sprayers, cleaning stations, dosing device, injectors, chemical suction hoses. Dosage from 0.40% to 10%.



Box Quantity, Pcs.	1
Material	Stainless Steel

Stainless steel hose suspension

Item Number: 9345

Hose suspension for wall mounting. Max. 20 meter hose.



Box Quantity, Pcs.	1
Material	Stainless Steel

Stainless steel wire rack, 285 x 195 mm

Item Number: 9431

Rack for wall mounting. To be used for 10 Liter containers.

	Box Quantity, Pcs.	15
	Max. bars pressure	20
	Material	PVC,Chromium-plated brass

Outlet hose, 1500 , 1/2"

Item Number: 94415

Hose used in conjunction with Condensation Squeegee code 7716_ and Handle code 2973Q_ which allows condensation to be drained away safely.

	Box Quantity, Pcs.	1
	Max. bars pressure	10
	Material	POM,Chromium-plated brass

Dilution unit for several products, 1/2"

Item Number: 9472

For accurate dosing of chemicals from 0.2% to 9% in bottles, small buckets and floor cleaning machines for optimum cleaning each time and saving on chemicals. The dosing unit is approved with reflux protection device. Wall mounted or directly on the water tap. Connected with 1/2" clutch housing.

	Box Quantity, Pcs.	1
	Max. bars pressure	10
	Material	POM,Chromium-plated brass,Polypropylene

Suction hose set, 1/8"

Item Number: 9481

PVC 1.5m suction hose with reflux valve for dosing unit, item numbers 9472 and 9477. Nozzle kit provided.



Mop Frames & Holders

25 cm

40 cm

60 cm

75 cm

90 cm

120 cm



Length, mm	285
AxMaterial	
Box Quantity, Pcs.	10

Superior mopframe, hook & loop, 25 cm,

Item Number: 370300

Superior mopframe, alu/black,easysnap, exchangeable velcro + end pieces



Length, mm	395
AxMaterial	
Box Quantity, Pcs.	10

Superior mopframe, hook & loop, 40 cm, Black

Item Number: 370400

Superior mopframe, alu/black,easysnap, exchangeable velcro + end pieces



Length, mm	545
AxMaterial	
Box Quantity, Pcs.	10

Superior mopframe, hook & loop, 60 cm, Black

Item Number: 370500

Superior mopframe, alu/black,easysnap, exchangeable velcro + end pieces



Length, mm	895
AxMaterial	
Box Quantity, Pcs.	10

Superior mopframe, hook & loop, 90 cm, Black

Item Number: 370600

Superior mopframe, alu/black,easysnap, exchangeable velcro + end pieces



Length, mm	
AxMaterial	
Box Quantity, Pcs.	10

Superior mopframe, hook & loop, 75 cm, Black

Item Number: 370800

Superior mopframe, alu/black,easysnap, exchangeable velcro + end pieces

	Length, mm	388
	Material	Polypropylene
	Box Quantity, Pcs.	10

Mop frame, Pocket, 40 cm, Grey

Item Number: 374018

Vikan Pocket Mop Frame is designed for professional cleaning and to be used with our ergonomic handles for cleaning floors, walls, ceilings, boards and tables. Used with the patented mop release, which eliminates handling dirty mops.

	Length, mm	570
	Material	Polystyrene
	Box Quantity, Pcs.	10

Mopframe, hook & loop, , 60 cm, Grey

Item Number: 374318

Composite velcro mop frame, to be used with all 60cm velcro mop heads and click fit handles within the Vikan microfibre range. Suitable for cleaning floors, walls and ceilings.

	Length, mm	240
	Material	Polystyrene
	Box Quantity, Pcs.	10

Mopframe, hook & loop, , 25 cm, Grey

Item Number: 374118

Vikan Ergoclean Velcro Mop Frame is designed for professional cleaning and to be used with our ergonomic handles for cleaning floors, walls, ceilings, boards and tables. Smaller size gives added manoeuvrability.

	Length, mm	220
	Material	Polyamide,PVC
	Box Quantity, Pcs.	5

Replacement hooks for 374118, 25 cm,

Item Number: 375525

Replacement hooks for 374118

	Length, mm	405
	Material	Polystyrene
	Box Quantity, Pcs.	10

Mopframe, hook & loop, , 40 cm, Grey

Item Number: 374218

Composite velcro mop frame, to be used with all 40cm velcro mop heads and click fit handles within the Vikan microfibre range. Suitable for cleaning floors, walls and ceilings.

	Length, mm	390
	Material	Polyamide,PVC
	Box Quantity, Pcs.	5

Replacement hooks for 374218 and 375440, 40 cm,

Item Number: 375540

Replacement hooks for 375440 and 374218

	Length, mm	520
	Material	Polyamide,PVC
	Box Quantity, Pcs.	5

Replacement hooks for 374318 and 375460, 60 cm,

Item Number: 375560

Replacement hooks for Composite 375460 and 374318

	Length, mm	300
	Material	80% Polyester, 20% Polyamide (100% Microfibre)
	Box Quantity, Pcs.	10

Wash fleece microfiber, 300 mm, White

Item Number: 474115

Wash fleece microfibre for 475118

	Length, mm	810
	Material	Anodised Aluminium,Polyethylene,PVC
	Box Quantity, Pcs.	10

Interior mop holder, 810 mm, Grey

Item Number: 377018

Use with interior mop sleeve it is ideal for ceiling vents, curtain tracks and other high level cleaning. Suitable for behind pipes and radiators. The micro fibres pick up dust, dirt and hairs using static electricity when the mop is used dry. Slightly dampened the mop loosens dirt and grease. Can be used for high level cleaning by using any VEC telescopic handle.

	Length, mm	400
	Material	80% Polyester, 20% Polyamide (100% Microfibre)
	Box Quantity, Pcs.	10

Wash fleece microfiber, 400 mm, White

Item Number: 474215

Wash fleece microfibre for 475218

	Length, mm	90
	Material	POM,EVA
	Box Quantity, Pcs.	10

Cloth holders

Item Number: 380100

Cloth holders, black 1 set/bag

	Length, mm	255
	Material	Anodised Aluminium,Polypropylene
	Box Quantity, Pcs.	10

Holder for wash fleece, 255 mm, Grey

Item Number: 475118

Holder for wash fleece, 474115.

	Length, mm	347
	Material	Anodised Aluminium, Polypropylene
	Box Quantity, Pcs.	10

Holder for wash fleece, 347 mm, Grey

Item Number: 475218
Holder for wash fleece, 474215.

	Length, mm	245
	Material	Polyesterblend
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	100

Pad, 245 mm, Stiff,

Item Number: 5523
Used with both hand and floor models of pad holder this hard abrasive cleaning pad is ideal for removing stubborn marks on both walls and floors. This pad is not FDA approved.

	Length, mm	235
	Material	Polypropylene, Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Pad Holder, 235 mm,

Item Number: 5500
This pad holder has a locking system which secures the cleaning pad. Can be used with any handle within the Vikan colour coded range enabling the user to clean safety floors, stainless steel mezzanine and white PVC walls.

	Length, mm	245
	Material	Polyesterblend
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	100

Pad, 245 mm, Medium,

Item Number: 5524
Used with both hand and floor models of pad holder this medium abrasive cleaning pad is ideal for removing marks on both walls and floors. This pad is not FDA approved.



	Length, mm	235
	Material	Polypropylene, Stainless Steel
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Padholder Handmodel, 235 mm,

Item Number: 5510
This pad holder has a locking system which secures the cleaning pad. Ideal for cleaning conveyor belts, production lines and equipment such as baking trays.

	Length, mm	245
	Material	Polyester
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	100

Pad, 245 mm, Soft,

Item Number: 5525
Used with pad holder, 5500x or 5510x this non abrasive cleaning pad is ideal for removing greasy dirt on smooth surfaces such as PVC walls and stainless steel surfaces.



Mops & Cloths

Pocket

25 cm

40 cm

60 cm



	Length, mm	415
	Material	45% Polyester,40% Cotton,15% Viscose
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95

Wet 61, Pocket, 40 cm, Grey

Item Number: 545400

Wet 61 Mops add moisture to remove dirt on the floor/surface. When using a wet mop we recommend using a dry mop afterwards to remove any residue to leave a clean and dry surface.

	Length, mm	440
	Material	45% Polyester,40% Cotton,15% Viscose
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95

Wet 61, Hook & Loop, 40 cm, Grey

Item Number: 545440

Wet 61 Mops add moisture to remove dirt on the floor/surface. When using a wet mop we recommend using a dry mop afterwards to remove any residue to leave a clean and dry surface.

	Length, mm	440
	Material	45% Polyester,40% Cotton,15% Viscose
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95

Wet 61, Hook & Loop, 40 cm, Blue

Item Number: 545443

Wet 61 Mops add moisture to remove dirt on the floor/surface. When using a wet mop we recommend using a dry mop afterwards to remove any residue to leave a clean and dry surface.

	Length, mm	440
	Material	45% Polyester,40% Cotton,15% Viscose
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95

Wet 61, Hook & Loop, 40 cm, Red

Item Number: 545444

Wet 61 Mops add moisture to remove dirt on the floor/surface. When using a wet mop we recommend using a dry mop afterwards to remove any residue to leave a clean and dry surface.

	Length, mm	440
	Material	45% Polyester,40% Cotton,15% Viscose
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95

Wet 61, Hook & Loop, 40 cm, Yellow

Item Number: 545446

Wet 61 Mops add moisture to remove dirt on the floor/surface. When using a wet mop we recommend using a dry mop afterwards to remove any residue to leave a clean and dry surface.

	Length, mm	640
	Material	45% Polyester, 40% Cotton, 15% Viscose
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95
		95

Wet 61, Hook & Loop, 60 cm, Grey

Item Number: 545460

Wet 61 Mops add moisture to remove dirt on the floor/surface. When using a wet mop we recommend using a dry mop afterwards to remove any residue to leave a clean and dry surface.

	Length, mm	450
	Material	Polyester 93%, Polyamid 7% (32% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95
		95

DampDry 31, Pocket, 40 cm, Grey

Item Number: 547600

Devised for smooth floors, such as vinyl, as the name suggests the mop combines the benefits of both dry and damp mopping. Used dry, the electrostatic charge helps collect dust and debris in medium soiled areas. Used damp, the capillary action delivers an outstanding deep clean in light to medium soiled areas.

	Length, mm	480
	Material	Polyester
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95
		95

Dry 24, Hook & Loop, 40 cm, Grey

Item Number: 547140

Ideal for dust sweeping all types of hard, flat floors where dry mopping may replace damp or wet mopping. The micro fibres pick up dust, dirt and hairs using static electricity and is ideal for use in corridors and other high traffic areas.

	Length, mm	340
	Material	Polyester 93%, Polyamid 7% (32% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95
		95

DampDry 31, Hook & Loop, 25 cm, Grey

Item Number: 547625

Devised for smooth floors, such as vinyl, as the name suggests the mop combines the benefits of both dry and damp mopping. Used dry, the electrostatic charge helps collect dust and debris in medium soiled areas. Used damp, the capillary action delivers an outstanding deep clean in light to medium soiled areas.

	Length, mm	660
	Material	Polyester
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95
		95

Dry 24, Hook & Loop, 60 cm, Grey

Item Number: 547160

Ideal for dust sweeping all types of hard, flat floors where dry mopping may replace damp or wet mopping. The micro fibres pick up dust, dirt and hairs using static electricity and is ideal for use in corridors and other high traffic areas.

	Length, mm	480
	Material	Polyester 93%, Polyamid 7% (32% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95
		95

DampDry 31, Hook & Loop, 40 cm, Grey

Item Number: 547640

Devised for smooth floors, such as vinyl, as the name suggests the mop combines the benefits of both dry and damp mopping. Used dry, the electrostatic charge helps collect dust and debris in medium soiled areas. Used damp, the capillary action delivers an outstanding deep clean in light to medium soiled areas.



	Length, mm	640
	Material	Polyester 93%, Polyamid 7% (32% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95

DampDry 31, Hook & Loop, 60 cm, Grey

Item Number: 547660

Devised for smooth floors, such as vinyl, as the name suggests the mop combines the benefits of both dry and damp mopping. Used dry, the electrostatic charge helps collect dust and debris in medium soiled areas. Used damp, the capillary action delivers an outstanding deep clean in light to medium soiled areas.



	Length, mm	450
	Material	60% Polyamide,40% Polyester
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	60

Vikan Wet Scrub Mop, Pocket, 40 cm, Grey

Item Number: 548200

It works extremely well on safety flooring and in high traffic areas, it removes ingrained dirt, stains and scuffs with little effort.

	Length, mm	330
	Material	60% Polyamide,40% Polyester
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	60

Vikan Wet Scrub Mop, Hook & Loop, 25 cm, Grey

Item Number: 548225

It works extremely well on safety flooring and in high traffic areas, it removes ingrained dirt, stains and scuffs with little effort.

	Length, mm	470
	Material	60% Polyamide,40% Polyester
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	60

Vikan Wet Scrub Mop, Hook & Loop, 40 cm, Grey

Item Number: 548240

It works extremely well on safety flooring and in high traffic areas, it removes ingrained dirt, stains and scuffs with little effort.

	Length, mm	630
	Material	60% Polyamide,40% Polyester
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	60

Vikan Wet Scrub Mop, Hook & Loop, 60 cm, Grey

Item Number: 548260

It works extremely well on safety flooring and in high traffic areas, it removes ingrained dirt, stains and scuffs with little effort.

	Length, mm	175
	Material	Polyamide
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	95

Vikan Scrub Pad, White

Item Number: 548300

Scrub pad is suitable for use on non-slip floor and is ideal for removing stubborn stains and graffiti. Not suitable for use on wooden or untreated linoleum. All Vikan textiles are covered by a 500 wash and use guarantee.

	Length, mm	550
	Material	80% Polyester, 20% Polyamide (100% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95
		95

Vikan Interior Mop, 550 mm, Grey

Item Number: 548400

Interior mop, ideal for dusting small spaces and hard to reach surfaces. The microfibrils pick up dust, dirt and hairs using static electricity when the mop is used dry. Slightly dampened the mop loosens dirt and grease. Can be used for high level cleaning by using any telescopic handle from the Vikan microfibre range. All Vikan textiles are covered by a 500 wash and use guarantee.



	Length, mm	460
	Material	90% Polyester, 7% Viscose, 3% Polyamide (44% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95
		95

Damp 47, Deep Clean, Hook & Loop, 40 cm, Red

Item Number: 548544

The special pattern of the weave means that it is possible to use a high percentage of microfibre without compromising on efficiency and ergonomics. This mop is especially suitable for tiled and structured floors with high levels of fat and grease in production areas.

	Length, mm	460
	Material	90% Polyester, 7% Viscose, 3% Polyamide (44% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95
		95

Damp 47, Deep Clean, Pocket, 40 cm, White

Item Number: 548500

The special pattern of the weave means that it is possible to use a high percentage of microfibre without compromising on efficiency and ergonomics. This mop is especially suitable for tiled and structured floors with high levels of fat and grease in production areas.

	Length, mm	460
	Material	90% Polyester, 7% Viscose, 3% Polyamide (44% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95
		95

Damp 47, Deep Clean, Hook & Loop, 60 cm, White

Item Number: 548560

The special pattern of the weave means that it is possible to use a high percentage of microfibre without compromising on efficiency and ergonomics. This mop is especially suitable for tiled and structured floors with high levels of fat and grease in production areas.

	Length, mm	460
	Material	90% Polyester, 7% Viscose, 3% Polyamide (44% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95
		95

Damp 47, Deep Clean, Hook & Loop, 40 cm, White

Item Number: 548540

The special pattern of the weave means that it is possible to use a high percentage of microfibre without compromising on efficiency and ergonomics. This mop is especially suitable for tiled and structured floors with high levels of fat and grease in production areas.

	Length, mm	430
	Material	83% Polyester, 17% Cotton, (24% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95
		95

Damp 48, Heavy Duty, Pocket, 40 cm, Grey

Item Number: 548700

Damp 48 is ideal for medium-heavy soiling on smooth floor surfaces. The raised microfibre stripes help cut through even the toughest of dirt, whilst the stranded fringe helps collect the heavier particles. The bulkier construction, which combines absorbent viscose and microfibre, creates a lasting reservoir of water to extend the coverage even in the most demanding areas.

	Length, mm	320
	Material	83% Polyester, 17% Cotton, (24% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95
		95

Damp 48, Heavy Duty, Hook & Loop, 25 cm, Grey

Item Number: 548725

Damp 48 is ideal for medium-heavy soiling on smooth floor surfaces. The raised microfibre stripes help cut through even the toughest of dirt, whilst the stranded fringe helps collect the heavier particles. The bulkier construction, which combines absorbent viscose and microfibre, creates a lasting reservoir of water to extend the coverage even in the most demanding areas.

	Length, mm	440
	Material	83% Polyester, 17% Cotton, (24% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95
		95

Damp 48, Heavy Duty, Hook & Loop, 40 cm, Grey

Item Number: 548740

Damp 48 is ideal for medium-heavy soiling on smooth floor surfaces. The raised microfibre stripes help cut through even the toughest of dirt, whilst the stranded fringe helps collect the heavier particles. The bulkier construction, which combines absorbent viscose and microfibre, creates a lasting reservoir of water to extend the coverage even in the most demanding areas.

	Length, mm	685
	Material	83% Polyester, 17% Cotton, (24% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95
		95

Damp 48, Heavy Duty, Hook & Loop, 60 cm, Grey

Item Number: 548760

Damp 48 is ideal for medium-heavy soiling on smooth floor surfaces. The raised microfibre stripes help cut through even the toughest of dirt, whilst the stranded fringe helps collect the heavier particles. The bulkier construction, which combines absorbent viscose and microfibre, creates a lasting reservoir of water to extend the coverage even in the most demanding areas.

	Length, mm	345
	Material	100% Polyester (100% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95
		95

Board & Table mop, Hook & Loop, 25 cm, White

Item Number: 549025

Vikan Ergoclean Board Mop contains micro fibre and is therefore extremely effective against ground in dirt. Ideal for cleaning tables and boards.

	Length, mm	330
	Material	80% Polyester, 20% Polyamide (100% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95
		95

Window mop, Hook & Loop, 25 cm, Grey

Item Number: 549125

A mop for efficient cleaning and polishing of high gloss surfaces. Such as glazing, mirrors and aluminium and other metal surfaces.

	Length, mm	480
	Material	80% Polyester, 20% Polyamide (100% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95
		95

Window mop, Hook & Loop, 40 cm, Grey

Item Number: 549145

A mop for efficient cleaning and polishing of high gloss surfaces. Such as glazing, mirrors and aluminium and other metal surfaces.

	Length, mm	430
	Material	95% Polyester, 5% Polyamide (48% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95

Damp 42, Pocket, 40 cm, Grey

Item Number: 549500

Ideal for use on all types of hard, flat floors. The micro fibres pick up dust, dirt and bacteria and remove stains and surface dirt. The special pattern in its weave increases cleaning efficiency. The in-built moisture reservoir enables Damp 42 to sweep and mop in one action in lightly soiled areas, such as wards saving valuable time. Used with the patented mop release, which eliminates handling dirty



	Length, mm	640
	Material	95% Polyester, 5% Polyamide (48% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95

Damp 42, Hook & Loop, 60 cm, Grey

Item Number: 549560

Ideal for use on all types of hard, flat floors. The micro fibres pick up dust, dirt and bacteria and remove stains and surface dirt. The special pattern in its weave increases cleaning efficiency. The in-built moisture reservoir enables Damp 42 to sweep and mop in one action in lightly soiled areas, such as wards saving valuable time. Specifically for large, uncluttered areas such as corridors and foyers



	Length, mm	335
	Material	95% Polyester, 5% Polyamide (48% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95

Damp 42, Hook & Loop, 25 cm, Grey

Item Number: 549525

Ideal for use on all types of hard, flat floors. The micro fibres pick up dust, dirt and bacteria and remove stains and surface dirt. The special pattern in its weave increases cleaning efficiency. The in-built moisture reservoir enables Damp 42 to sweep and mop in one action in lightly soiled areas, such as toilets saving valuable time. Smaller size gives added manoeuvrability.



	Length, mm	420
	Material	83% Polyester, 17% Viscose (35% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95

Damp 43, Pocket, 40 cm, Grey

Item Number: 549600

Designed for medium to heavily soiled areas, the Micro fibre yarn loops pick up dirt and sand, the cut loops absorb and transport moisture. Can be used on uneven floors such as tiles and rubber safety floors. Used with the patented mop release, which eliminates handling dirty mops.



	Length, mm	465
	Material	95% Polyester, 5% Polyamide (48% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95

Damp 42, Hook & Loop, 40 cm, Grey

Item Number: 549540

Ideal for use on all types of hard, flat floors. The micro fibres pick up dust, dirt and bacteria and remove stains and surface dirt. The special pattern in its weave increases cleaning efficiency. The in-built moisture reservoir enables Damp 42 to sweep and mop in one action in lightly soiled areas saving valuable time.



	Length, mm	440
	Material	83% Polyester, 17% Viscose (35% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95

Damp 43, Hook & Loop, 40 cm, Grey

Item Number: 549640

Designed for medium to heavily soiled areas, the Micro fibre yarn loops pick up heavy debris, the cut loops absorb and transport moisture. Can be used on uneven floors such as tiles and rubber safety floors.




	Length, mm	440
	Material	83% Polyester, 17% Viscose (35% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95

Damp 43, Hook & Loop, 40 cm, Grey

Item Number: 549640

Designed for medium to heavily soiled areas, the Micro fibre yarn loops pick up heavy debris, the cut loops absorb and transport moisture. Can be used on uneven floors such as tiles and rubber safety floors.



	Length, mm	450
	Material	Polyester
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	95

Easy Green , 40 cm, Green

Item Number: 6520040

Perfect for dry mopping in places and facilities without laundering facilities. Specific in areas where needles or splinters in glas or metall can be present. Amazing result on hair and fur. Ideal method for coffee shops, stores, schools and nursery places.

	Length, mm	440
	Material	83% Polyester, 17% Viscose (35% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95

Damp 43, Hook & Loop, 40 cm,

Item Number: 54964

Designed for medium to heavily soiled areas, the Micro fibre yarn loops pick up heavy debris, the cut loops absorb and transport moisture. Can be used on uneven floors such as tiles and rubber safety floors.



	Length, mm	600
	Material	Polyester
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	95

**Easy Green, 60 cm, Green
Easy Green, 60 cm, Green**

Item Number: 6520060


Perfect for dry mopping in places and facilities without laundering facilities. Specific in areas where needles or splinters in glas or metall can be present. Amazing result on hair and fur. Ideal method for coffee shops, stores, schools and nursery places.

	Length, mm	630
	Material	83% Polyester, 17% Viscose (35% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95

Damp 43, Hook & Loop, 60 cm, Grey

Item Number: 549660

Designed for medium to heavily soiled areas, the Micro fibre yarn loops pick up dirt and sand, the cut loops absorb and transport moisture. Can be used on uneven floors such as tiles and rubber safety floors. Specifically for large, uncluttered areas such as corridors and foyers.



	Material	80% Polyester, 20% Polyamide (100% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95

Original Microfibre cloth, 32 x 32 cm,

Item Number: 69101

Manufactured using our own micro fibre material with unique cleaning properties, the cloth attracts dirt and draws it into the material through capillary or static electricity effect and locks it there. The microfibers helps remove bacteria. Used dry it picks up the smallest dust and dirt particles. Used damp it absorbs dirt and grease by the capillary effect.



	Material	80% Polyester, 20% Polyamide (100% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95

Basic microfibre cloth, 32 x 32 cm,

Item Number: 69113

Perfect for general cleaning. Can be used on all kinds of hard surfaces. Used dry it picks up and retains the smallest dust- and dirt particles by static electricity. Damp with water it absorbs dirt and grease by the capillary effect.



	Material	80% Polyester, 20% Polyamide (100% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95

Basic microfibre cloth, 40 x 40 cm,

Item Number: 69114

Perfect for general cleaning. Can be used on all kinds of hard surfaces. Used dry it picks up and retains the smallest dust- and dirt particles by static electricity. Damp with water it absorbs dirt and grease by the capillary effect.



	Material	80% Polyester, 20% Polyamide (100% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95

Vikan Microfibre Glove, 260 mm, Grey

Item Number: 691218

Perfect for general cleaning, commonly used on hand rails in particular stainless steel. Can be used on all kinds of hard surfaces. Used dry it picks up and retains the smallest dust and dirt particles by static electricity. Damp with water it absorbs dirt and grease by the capillary effect.



	Material	80% Polyester, 20% Polyamide (100% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95

Microfibre Lustre cloth, 40 x 40 cm,

Item Number: 69151

The lustre cloth is ideal for cleaning windows, mirrors and hard polished surfaces such as stainless steel and other shiny metal surfaces. The cloth is to be used dry or damp with water and no chemicals. Cleans without leaving lint or streaks.



	Material	80% Polyester, 20% Polyamide (100% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95

Microfibre Lustre cloth, 40 x 40 cm, Grey

Item Number: 691540

The lustre cloth is ideal for cleaning windows, mirrors and hard polished surfaces such as stainless steel and other shiny metal surfaces. The cloth is to be used dry or damp with water and no chemicals. Cleans without leaving lint or streaks.


	Material	80% Polyester, 20% Polyamide (100% Microfibre)
	Box Quantity, Pcs.	5
	Max cleaning temperature (Autoclave), °Celsius	95

Microfibre Lustre cloth, 40 x 40 cm,

Item Number: 69154

The lustre cloth is ideal for cleaning windows, mirrors and hard polished surfaces such as stainless steel and other shiny metal surfaces. The cloth is to be used dry or damp with water and no chemicals. Cleans without leaving lint or streaks.





Length, mm	640
Material	87% Polyester, 13% Polyamide (65% Microfibre)
Box Quantity, Pcs.	5
Max cleaning temperature (Autoclave), °Celsius	95

Micro fibre Floor cloth, 64 x 32 cm, Grey

Item Number: 691618

Micro fibre Floor cloth



	Length, mm	800
	Product Diameter, mm	17
	Filament Description	Soft
	Material	Wool
	Box Quantity, Pcs.	60

Wool duster, 800 - 1090 mm, Ø17 mm, Grey

Item Number: 454210
Wool duster, grey handle

	Length, mm	850
	Product Diameter, mm	22
	Material	Polypropylene,PVC
	Box Quantity, Pcs.	12

Duster w/telescopic handle, 850 mm, Soft, Grey

Item Number: 454518
Duster w/telescopic handle, grey

	Length, mm	210
	Product Diameter, mm	
	Material	Polypropylene
	Box Quantity, Pcs.	12

Dustpan, 210 mm, White

Item Number: 5580
Solid sopskyffel i plast utan gummiläpp.

	Length, mm	245
	Material	Metal
	Box Quantity, Pcs.	10

Dustpan metal, 245 mm, Black

Item Number: 558552
Metal dustpan, suitable for hot waste. Use with slimline brush 450052.

	Length, mm	900
	Material	Metal,PVC
	Box Quantity, Pcs.	5

Brush/dustpan set, longhandled, 900 mm

Item Number: 559018
Brush/dustpan set, longhandled, metal, grey

	Length, mm	985
	Material	Polypropylene
	Box Quantity, Pcs.	6

Longhandled brush/dustpan set, 985 mm

Item Number: 559518

Long handled plastic dustpan and broom. A long handled set enables one to remove dirt from the floor quickly and easily without the need to bend down.

	Length, mm	1050
	Material	Polypropylene
	Box Quantity, Pcs.	4

Dustpan set closed with broom and squeegee, 1050 mm, Grey

Item Number: 559618

The dustpan set has the following advantages: Is stable in both closed and opened state. Holds 0.3 liters liquid in the open state. Can because of the volume contain large quantities of waste. Easily separated and easily cleaned in the dishwasher

	Length, mm	330
	Material	Polypropylene
	Box Quantity, Pcs.	10
	Max cleaning temperature (Autoclave), °Celsius	121

Dustpan, 330 mm,

Item Number: 5660

Ergonomically designed and ideal for use in the food industry it has added wall thickness to increase strength and durability. Its design ensures there are no crevices where dirt can harbour and allows easy cleaning. Use with hand brushes 4587 and 4589 to collect food debris and dust particles from floors and work surfaces.



Cleaning Trolleys

Compact

Compact plus

Slimliner



Material	Metal,PVC
Box Quantity, Pcs.	1
Length, mm	1370
Height, mm	985
Width, mm	740

Cleaning trolley, large, 60 cm, Grey

Item Number: 580110

Cleaning trolley, large, 60 cm, Grey



Material	Metal,PVC
Box Quantity, Pcs.	1
Length, mm	1160
Height, mm	985
Width, mm	482

Compact Cleaning trolley , 60 cm, Grey

Item Number: 580310

This compact trolley incorporates pre-prepared mopping, damp wiping and maximum storage for consumables in a highly manoeuvrable package. The compact dimensions make it ideal for use in busy areas and still easy to store where space is limited. Can be tailored with additional accessories to suit the individual user and task.



Material	Metal,PVC
Box Quantity, Pcs.	1
Length, mm	1160
Height, mm	985
Width, mm	482

Compact Cleaning Trolley Plus , 40 cm, Grey

Item Number: 580311

This compact trolley incorporates pre-prepared mopping, damp wiping and maximum storage for consumables in a highly manoeuvrable package, plus waste collection. The compact dimensions make it ideal for use in busy ward areas, whilst making it easy to store where space is limited. Can be tailored with additional accessories to suit the individual user and task.



Material	Metal,PVC
Box Quantity, Pcs.	1
Length, mm	1160
Height, mm	985
Width, mm	482

Compact Cleaning Trolley , 40 cm, Grey

Item Number: 580314

This compact trolley incorporates pre-prepared mopping, damp wiping and storage for consumables in a highly manoeuvrable package. The compact dimensions make it ideal for use in busy ward areas, whilst making it easy to store where space is limited. Can be tailored with additional accessories to suit the individual user and task.



Material	Metal,PVC
Box Quantity, Pcs.	1
Length, mm	1160
Height, mm	985
Width, mm	482

Compact Cleaning Trolley Plus, 60 cm, Grey

Item Number: 580319

This compact trolley incorporates pre-prepared mopping, damp wiping and maximum storage for consumables in a highly manoeuvrable package, plus waste collection. The compact dimensions make it ideal for use in busy ward areas and easy to store where space is limited. Can be tailored with additional accessories e.g. a mop release which eliminates the handling of dirt

	Material	Metal,PVC
	Box Quantity, Pcs.	1
	Length, mm	795
	Height, mm	825
	Width, mm	400

Slimliner Cleaning Trolley, 40 cm, Grey

Item Number: 580410

Small trolley ideal for areas where space is limited. Supplied with one mop box and 2 cloth boxes. Can be tailored with additional accessories to suit the individual user and task.

	Material	Polyamide,PVC
	Box Quantity, Pcs.	64

Spray Bottle, 0.25 Litre(s)

Item Number: 581210

Spray bottle for use when additional moisture is required.

	Material	Metal,PVC
	Box Quantity, Pcs.	1
	Length, mm	810
	Height, mm	420
	Width, mm	590

Mop Box organiser, wall bracket , 40 cm, Grey

Item Number: 580510

Mop Box organiser, wall bracket

	Material	ABS-plastic
	Box Quantity, Pcs.	10

Preparation lid, 60 cm

Item Number: 581310

VEC Preparation lid, 70 cm

	Material	ABS-plastic
	Box Quantity, Pcs.	10

Preparation Jug, 1.5 Litre(s),

Item Number: 581110

Preparation Jug to ensure that the correct amount of water is added to all Vikan mops and cloths

	Material	Polypropylene
	Box Quantity, Pcs.	1

Complete 40 cm mop box / prep kit, 40 cm, Grey

Item Number: 581410

The complete mop box is an all in one solution can both prepare and store/transport mops in one unit. The complete mop box contains a set of mop dosing labels so that you can simply set up the mop preparation up after you specific needs. This mop box can be used for both pocket and 40cm velcro mops and is compatible with all Vikan cleaning trolleys.

	Material	Polypropylene
	Box Quantity, Pcs.	2

25cm Mop box without lid, Grey

Item Number: 581416

Mop box 25 cm, grey

	Material	ABS-plastic
	Box Quantity, Pcs.	4

Lid for 60 cm mop box,

Item Number: 581419

70cm mop box lid is made of transparent plastic so you can always see the type or quantity of mops you have available in your mop box (581418). The lid is especially designed so that they can be stacked when the mop boxes are not in use.

	Material	ABS-plastic
	Box Quantity, Pcs.	4

Lid for 25cm mop box,

Item Number: 581417

Lid for mopbox, 25 cm

	Material	Polypropylene
	Box Quantity, Pcs.	4

Cloth/accessory box, 7 Litre(s), Grey

Item Number: 581518

Cloth /accessory box used for both preparing and storage of Vikan microfibre cloths, as well as storage of everyday items used in cleaning processes. There is a transparent cloth box lid available (583310) so the user can always see both what colour and how many microfibre cloths are in the particular cloth box, the lid also insures that the optimal moisture is retained in the microfibre cloths.

	Material	Polypropylene
	Box Quantity, Pcs.	2

Mop Box, 60 cm, Grey

Item Number: 581418

The mop box is compatible with all Vikan cleaning trolleys for transport and storage of Vikan microfibre mops. Vikans mop box works in combination with our preparation jug (581110) and preparation lid (581310) in order to obtain the optimal dosing of Vikan microfibre mops.

	Material	Metal
	Box Quantity, Pcs.	1

Cloth box holder, Grey

Item Number: 581519


The cloth box holder can be used to hold either the standard (581518) or the large (581618) cloth box on any of Vikan cleaning trolleys. The cloth box holder is made with an open front for quick and easy release of the cloth box.

	Material	Polypropylene
	Box Quantity, Pcs.	4

Cloth/accessory box, 12 Litre(s), Grey

Item Number: 581618

Large cloth /accessory box is used for both preparing and storage of Vikan microfibre cloths, as well as chemicals and spray bottles for use in everyday cleaning processes. A transparent cloth box lid is available (583310), the user can always see both what colour and how many microfibre cloths are in the cloth box, the lid ensures that the optimal moisture is retained in the microfibre cloths.

	Material	Metal
	Box Quantity, Pcs.	4

Mop box holder, Grey

Item Number: 582010

The mop box holder has been designed to easily hold Vikan mop boxes (581410, 581416, 581418) in place securely on all Vikan trolleys.

	Material	Metal
	Box Quantity, Pcs.	10

Cloth box holder, Grey

Item Number: 581819

The cloth box holder can be used to hold either the standard (581518) or the large (581618) cloth box on any of Vikan cleaning trolleys. The cloth box holder is made with an closed front to secure the cloth box when in use in a busy environment.

	Material	Metal
	Box Quantity, Pcs.	10

Holder for 2l. storage box, Grey

Item Number: 582110

This holder has been designed to hold the small storage box (581910) easily on Vikan cleaning trolleys, it can be also used on its own as a document holder for a trolley.

	Material	PVC
	Box Quantity, Pcs.	10

Storage box,

Item Number: 581910

The small storage box is designed as a container to keep small items for example, a hand brush for cleaning the difficult to get to areas, pens, small tools etc. The small storage box can be attached to Vikan cleaning trolleys by using the specially design holder (582110).

	Material	Polyester
	Box Quantity, Pcs.	5

Laundry bag,

Item Number: 582218

The Vikan laundry bag is made from a drip proof textile to store all used Vikan microfibre mops or cloths. It can be simply washed together in the daily washing of mops. It is designed to fit perfectly and securely onto a Vikan cleaning trolley and holds up to 30 used mops at a time.

	Material	Polyester
	Box Quantity, Pcs.	5

Laundry bag,

Item Number: 582318

The Vikan large laundry bag is made from a drip proof textile to store all used Vikan microfibre mops or cloths. It can be simply washed together in the daily washing of mops. It is designed to fit perfectly and securely onto a Vikan cleaning trolley and holds up to 50 used mops at a time.

	Material	Metal
	Box Quantity, Pcs.	5

Mop Frame Holder, Single, Grey

Item Number: 582510

The mop frame holder can be easily attached to the side of a Vikan cleaning trolley to facilitate storage of additional mop frame.

	Material	Metal
	Box Quantity, Pcs.	1

Wire storage basket, Grey

Item Number: 582410

The multi purpose basket provides extra storage capacity. Generally used for the storage and transport of toilet paper, kitchen rolls or soaps.

	Material	Metal
	Box Quantity, Pcs.	5

Mop release, Grey

Item Number: 582710

The unique system eliminates the need to manually handle dirty mops, vastly reducing the risk of cross-contamination. Vikan patented mop release system minimises the repetitive strain caused when changing mops by significantly reducing the force required by over 60%.

	Material	Polyamide
	Box Quantity, Pcs.	5

Laundry net, Grey

Item Number: 582418

The laundry net is designed to enable used Vikan micro fibre cloths to be kept separately from used Vikan microfibre mops.

	Material	Metal
	Box Quantity, Pcs.	1

Holder for 15l. Mop Bucket, Grey

Item Number: 582910

This holder is designed to support Vikan's 15l bucket (375018) so that it can be used to carry chemical bottles and sprays. The holder is designed to fit on to Vikan compact cleaning trolleys.



Holder for 25-35 mm diameter handle, with 22mm clamps, Black

Item Number: 583010

The handle holder is a quick and easy way to transport and hold both short and long mop handles (296218, 295618) on Vikan compact cleaning trolleys, this version includes a clamp that fits neatly round the tubing on the Vikan compact cleaning trolley (580310/1/4, 580110)



Toolflex 15-20 mm with 28mm clamps, for 580410 ,

Item Number: 583014

Toolflex 15-20 mm with 28mm clamps, for 580410



Holder for 25-35 mm diameter handle,

Item Number: 583011

The handle holder is a quick and easy way to transport and hold both short and long Vikan mop handles (296218, 295618) on Vikan cleaning trolleys, this version has a flat backing that fits neatly onto to waste bag holder on the Vikan cleaning trolley. (580310/1/4, 580110)



Toolflex 15-20 mm with 22mm clamps,

Item Number: 583015

Toolflex 15-20 mm with 22mm clamps



Holder for 25-35 mm diameter handle with 28mm clamps, for 580410 , Black

Item Number: 583013

The handle holder is a quick and easy way to transport and hold both short and long mop handles (296218, 295618) on Vikan slimliner cleaning trolleys, this version includes a clamp that fits neatly round the tubing on the Vikan slimliner cleaning trolley (580410)



Hook with 22 mm clamps,

Item Number: 583016

Hook with 22 mm clamps

	Material	Polypropylene
	Box Quantity, Pcs.	10

Hook with 28mm clamps,

Item Number: 583017

Hook with 28mm clamps

	Material	Polyester,PU laminated
	Box Quantity, Pcs.	1

Cover for waste bag, Compact

Item Number: 583618


The waste bag protection cover can be attached to the Vikan compact plus cleaning trolleys. It is equipped with pockets that can hold a mop box lid (581418) or preparation lid (581310) when not in use. It also includes a flap lid to cover the waste bag opening to restrict odours. The waste bag cover is made from a coated textile material so that it can be easily cleaned with a microfibre cloth.

	Material	Polypropylene,ABS-plastic
	Box Quantity, Pcs.	4

Lid for cloth/accessory boxes,

Item Number: 583310

The transparent cloth box lid is compatible with the large cloth/accessories box (581618, 581518) so the user can always see what colour, and how many microfibre cloths are in the particular cloth box, the lid also ensures that the optimal moisture is retained in the microfibre cloths.

	Material	Metal
	Box Quantity, Pcs.	1

Multi Purpose Bag Holder, Compact Trolley

Item Number: 583810

The holder for the multi purpose bag can be attached to the side of Vikan cleaning trolleys.

	Material	Metal
	Box Quantity, Pcs.	1

Wastebag frame for Compact trolley,

Item Number: 583413

Wastebag frame for Compact trolley

	Material	Polyester,PU laminated
	Box Quantity, Pcs.	1

Multi Purpose Bag, 25 Litre(s), Black

Item Number: 583818

This bag can be used for a range of purposes such as storage/transport of utilities. It can also be used as an extra waste bag or a container for used mops or cloths. The waste bag cover is made from a coated textile material so that it can be easily cleaned with microfibre cloth and is held in the correct position on Vikan cleaning trolleys by the Vikan multi-purpose bag holder (583810).

	Length, mm	330
	Material	Textile part; 100% Polyester laminated, Belt; 100% Polypropylen, Buckles 100% Nylon
	Box Quantity, Pcs.	20
	Max cleaning temperature (Autoclave), °Celsius	40

Vikan Utility Belt

Item Number: 587000

Multi purpose utility belt designed to carry all of your cloths and accessories



Kits

	Length, mm	340
	AxMaterial	
	Box Quantity, Pcs.	6

Campaign Set, 3 Brushes

Item Number: 521052

1 x 524652 Hand Brush soft and split bristles, 1 x 525352 Rim cleaner medium, 1 x 631559 Small Interior brush soft.

	Length, mm	1065
	AxMaterial	
	Box Quantity, Pcs.	140

Campagin set, 526852 + 297152C

Item Number: 521452

1 x 526852 Vehicle Brush, waterfed, 250 mm, Soft/split, 1 x 297152C Aluminium telescopic waterfed handle with click fit, 1060, 1600 mm

	Length, mm	605
	AxMaterial	
	Box Quantity, Pcs.	1

Easy shine kit

Item Number: 549101

The Easy Shine Kit from Vikan Ergoclean can be used for cleaning in a number of areas such as windows, mirrors and white boards, as well as many other high gloss surfaces. Contains: 5 x window mops 549125, 5 x lustre cloth 691540, 1 x spraybottle, 1 x mopframe and 1 x telescopic handle 295610.

	Length, mm	1325
	AxMaterial	
	Box Quantity, Pcs.	1

Vikan Transport System Starter Pack

Item Number: 990052

1 x 522252 Vehicle Brush w/Long Handle, Soft/split, 1 x 525252 All-round Vehicle brush for small areas, 1 x 526852 Vehicle Brush, waterfed, 250 mm, Soft/split, 1 x 525052 Rim Brush, 65 mm, Black, 1 x 297152C Aluminium telescopic waterfed handle with click fit, 1060, 1600 mm

	Length, mm	1330
	AxMaterial	
	Box Quantity, Pcs.	1

Start Kit Microfibre

Item Number: 990101

Microfibre start kit 1 telescopic handle 296218, 1 composite mop frame 374218, 5 microfibre mops 548740, 2 X 5 original microfibre cloths 5 in red 691014 & 5 in blue 691013





Length, mm	1320
AxMaterial	
Box Quantity, Pcs.	1


Easy Hi Dust Microfibre Kit

Item Number: 990102

Ultra microfibre dusting kit, ideal for high level cleaning up to 3m. Works using electro static charge and head can be flexed for cleaning of ledges and pipes. The microfibre glove is superb for cleaning hand rails, glass mirrors, stainless steel and detail work, offering additional protection over a standard cloth.







Vikan is the leader in advancing hygienic cleaning for customers in safety critical environments where hygiene is a fundamental business driver. Our tools and solutions are designed to deliver in terms of health, safety and environment through quality control and plant management to infection control.

Vikan strives to make cleaning simpler, easier and more effective in sectors such as food and drink processing, healthcare, kitchens and restaurants, retail and supermarkets, education and local authorities, and transport. We work collaboratively with customers to maintain a clear and thorough understanding of their market challenges and needs.

Vikan's systems are designed to improve and raise the visibility of internal hygiene control, support HACCP compliance, and make it easier to maintain and document protocols for internal and external audits. We provide customers with pragmatic, environmentally conscious solutions that are easy to understand and simple to implement, and offer money saving guidance on product selection, cleaning protocols and tool storage to maximise the tools' lifespan.

All Vikan solutions are designed around materials approved for use in health and food preparation environments, comply with US and European legislation, and are licensed under food safety and eco-label systems. Leading edge innovations include pre-prepared microfibre mops, cloths and brushes for efficient, effective and hygienic cleaning; colour-coded tools for use in environments where avoidance of cross contamination is key; ergonomic and adjustable tool designs for operator comfort; and tools made from FDA compliant materials and live up to the EU regulation 10/2011 for applications in the food industry.

We maintain complete control over our quality, environmental and security credentials as all product development, testing and manufacture takes place in Denmark.

VikanSpecialist
Zandwilg 19
1731 LS WINKEL
NETHERLANDS
info@vikanspecialist.nl

VikanSpecialist 
official online shop